Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Thomas B. Meehan

J. Franklin Meehan



Thomas Meehan & Sons

WHOLESALE NURSERYMEN

and

TREE SEEDSMEN

TRADE LIST

FALL, 1914

This Catalogue Cancels all Previous Price Lists Prices Net No Discounts

WHOLESALE DEPARTMENT

Dresher P. O., Penna.



TRADE LIST

Fall, 1914

CUSTOMERS are requested to state the mode of conveyance by which they desire their trees forwarded. When no route is named, we forward to the best of our judgment, without liability for error or delay.

RESPONSIBILITY.—After goods are placed on board cars here, we assume no responsibility for their safe or prompt delivery, or any injury caused by delay in delivery by the transportation company.

ALL CLAIMS must be made upon receipt of goods.

TERMS CASH, on or before delivery to express or railroad agents, unless by special arrangement.

Two hundred and fifty, twenty-five or five of any one variety will be furnished by the thousand, hundred and ten rates, respectively, but single plants of one or more varieties will not be sold at less than 15 cents each, except Vines and Herbaceous Plants, the minimum price of which will be 10 cents each.

PACKING CHARGED EXTRA, but only sufficient to cover cost of time and material consumed in the work.

POST OFFICE ORDERS payable at Dresher P. O., Montgomery County, Penna.

WESTERN UNION TELEGRAPH, AMBLER, PA. Use Nurserymen's Telegraphic Code or "A B C" Code, 4th edition.

VISITORS are always welcome and should take train at the Reading Terminal, 12th and Market Streets, Philadelphia, for Camp Hill Station, or at Broad Street Station, Pennsylvannia R. R., for Fort Hill Station. Be sure that the train stops at these stations.

NOTICE.—It is necessary that you should **TELEPHONE** us (Bell Phone, 226-W Ambler; Keystone Phone Jenkintown 652-Y), in advance of your coming, so that we can send a carriage to the station for you. Our office is $2\frac{1}{2}$ miles from either station.

CERTIFICATE OF INSPECTION

Our nurseries are inspected several times each year, by inspectors of the Entomological Division of the Department of Agriculture of the State of Pennsylvania, and are free from insect pests and diseases. A certificate of the Department is attached to all shipments and will also be furnished to customers if desired.

Deciduous Trees

It is an old saying that "The best is the cheapest in the long run" and this applies probably more nearly to nursery stock than any other thing. The difference in price between a poor tree and a good tree is comparatively little, only a few cents, but the results cannot be measured in dollars and cents.

Our trees are frequently transplanted, to establish a good root system, they are "staked" so that every tree is grown with a perfectly straight trunk and the heads of the trees are kept pruned into symmetrical shape. Our soil is heavily fertilized and the trees are given constant cultivation and no effort spared to produce the very best quality. These facts should all be taken into consideration when comparing our prices with those of other nurseries.

| | | Per 10 | Per 100 |
|------|--|----------|---------------|
| Acer | campestre, English Cork Maple | | |
| | 2 to 3 ft | | 15 00 |
| | 4 to 5 ft | | 30 00 |
| | 5 to 6 ft | 4 50 | 40 00 |
| | 6 to 8 ft | | |
| | 8 to 10 ft | 6 00 | |
| " | dasycarpum, (eriocarpum) Silver Maple | | |
| | $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal | 3 00 | 30 00 |
| | $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal | 4 00 | 40 00 |
| | 1¾ to 2 in. cal | 5 00 | 50 0 0 |
| | 2 to $2\frac{1}{4}$ in. cal | | |
| | $2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal | | |
| | $2\frac{1}{2}$ to $2\frac{3}{4}$ in cal | | |
| | 2¾ to 3 in. cal | 15 00 | 1 |
| 44 | dasycarpum Wieri, Wier's cut-leaved Ma | ple | |
| | 8 to 10 ft | . 3 50 | 30 00 |
| | 1¼ to 1½ in. cal | . 500 | 50 00 |
| | $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal | | |
| | 2 to 2¼ in. cal | 12 50 |) |
| 44 | Negundo, Ash-leaved Maple, Box Elder | | |
| | 6 to 8 ft | . 175 | 15 00 |
| 44 | Pennsylvanicum (striatum) Striped Maj | ole. Mod | sewood |
| | 3 to 4 ft | 3 50 | |
| | 4 to 6 ft | . 5 00 |) |
| 44 | platanoides, Norway Maple | | |
| | 4 to 5 ft | | |
| | 5 to 6 ft | | |
| | 6 to 8 ft | | |
| | 8 to 10 ft | | |
| | $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal | | |
| | $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal | | |
| | 1¾ to 2 in. cal | | |
| | 2 to 2¼ in. cal | | |
| | 2½ to 2½ in. cal | | |
| | 2½ to 2¾ in. cal | | |
| | 2¾ to 3 in. cal | | |
| | 3 to $3\frac{1}{2}$ in. cal | . 50 00 | , 300 00 |

| Acer | nistanaidas Names T. 1 | | |
|------|---|--|----------------|
| HOU | | Per 10 | Per 100 |
| | 3½ to 4 in. cal | 35 0 | 0 350 00 |
| | | 50 0 | |
| | 2½ to 2¾ in. cal. specimen 2¾ to 3 in. cal. specimen | 30 0 | |
| | $2\frac{3}{4}$ to 3 in. cal. specimen 3 to $3\frac{1}{2}$ in. cal. specimen | 35 0 | |
| | 3½ to 4 in. cal. specimen | 40 0 50 0 | |
| | 4 to 5 in. cal. specimen | 60 0 | 0 |
| 44 | platanoides Reitenbachi, Purple-leaved No | orway | Maple |
| | 1% to 2 in. cal | 15 0 | |
| | $\frac{2}{2}$ to $\frac{2}{2}$ in. cal | 20 0 | 0 |
| | 2½ to 3 in. cal | 30 0 | |
| | | 40 0 | |
| 44 | 4 to 5 in. cal | 50 0 | U rod Manla |
| | 6 to 8 ft | 5 0 | |
| | 8 to 9 ft | 7 5 | |
| | 1¼ to 1½ in. cal | 10 0 | |
| | $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal | 15 0 | |
| | 1% to 2 in. cal | 17 5 | |
| | 2 to 2¼ in. cal | 20 0 | |
| | 2¼ to 2½ in. cal | 22 5 | |
| | $2\frac{1}{2}$ to $2\frac{3}{4}$ in. cal | $\begin{array}{c} 25 \ 0 \\ 35 \ 0 \end{array}$ | |
| 44 | 3 to 3½ in. cal | 59 V | U |
| | 2½ to 3 in. cal | 15 0 | 0 |
| | 3 to 3½ in. cal | 20 0 | |
| | $3\frac{1}{2}$ to 4 in. cal | 25 0 | 0 |
| | 4 to 5 in. cal | | 0 |
| 66 | Pseudo-platanus purpureum, Purple-leaved | | |
| | 2 to 2½ in. cal | 17 5 | |
| 44 | 2½ to 3 in. cal | 20 0 | U |
| | 3 to 4 ft. | 25 | 0 20 00 |
| | 4 to 5 ft | $\bar{3}$ $\bar{0}$ | |
| | 5 to 6 ft | 4 0 | 0 40 00 |
| 44 | saccharum, Sugar or Rock Maple | | |
| | 1¼ to 1½ in. cal | 7 5 | |
| | 1½ to 1¾ in. cal | 10 0 | |
| | 1¾ to 2 in. cal | 12 5 15 0 | |
| | 2 to 2¼ in. cal | 17 5 | |
| 66 | saccharum nigrum, Black Sugar Maple | 1. 0 | 0. |
| | 4 to 6 ft | 2 0 | 0 18 00 |
| | 6 to 8 ft | 25 | 0 20 00 |
| | 8 to 10 ft | 35 | |
| | $1\frac{1}{2}$ to 2 in. cal | 10 0 | |
| | 2 to 2½ in. cal | 15 0 | |
| " | 2¾ to 3 in. cal | 20 0 | U |
| • | spicatum, Mountain Maple 2 to 3 ft | 2 5 | 0 22 00 |
| | 3 to 4 ft | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| 44 | striatum, See Pennsylvanicum | 0 0 | - 50 00 |
| 44 | Tataricum, Tartarium Maple | | |
| | 5 to 6 ft | 6 0 | 0 |
| 44 | Tataricum Ginnala | | 0 00 00 |
| | 3 to 4 ft. heavy | 3 5 | |
| | 4 to 5 ft | 5 0 | U |
| | _ | | |

Japanese Maples

"American Grown" is a very fitting remark at this time, and it is particularly suited in connection with our Japanese Maples which are all "Pennsylvania grown." Why buy cheap, uneven, hide-bound foreign stock when you can get the very best here at reasonable prices and every plant guaranteed true to name.

| er to to name. | Per 10 | Per 10 |
|---|---|-----------------------|
| Acer Japonicum, Green-leaved 3 to 4 ft | . 15 00 . 20 00 . 25 00 | |
| " Japonicum, Standard or Tree-form 6 to 7 ft | . 30 00 | ı |
| "Japonicum aconitifolium, Green-leaved $1\frac{1}{2}$ to 2 ft | . 8 50 . 10 00 . 12 50 . 15 00 | · · |
| " Japonicum aureum, Golden-leaved $1\frac{1}{2}$ to 2 ft | . 10 00 |) |
| " Japonicum palmatum, Green-leaved 2 to 2½ ft. 3 to 3½ ft. 3½ to 4 ft. 4 to 5 ft. 5 to 6 ft. | . 12 50 . 15 00 . 17 50 |))) |
| <pre>" polymorphum, Green-leaved 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft.</pre> | 6 50 10 00 15 00 20 00 22 50 |)))) |
| polymorphum Ampelopsilobum, Green-le 2 to 3 ft. 3 to 4 ft. 4 to 6 ft. | 10 00 |) |
| " polymorphum atropurpureum, Blood-lea 1½ to 2 ft. 2 to 3 ft. 3 to 3½ ft. 3½ to 4 ft. 4 to 4½ ft. 4½ to 5 ft. 5 to 6 ft. 6 to 7 ft. | 6 50 12 50 15 00 17 50 20 00 22 50 |))))) |

```
Acer (cont.)
                                  Per 10
                                        Per 100
   polymorphum atropurpureum, Standard or Tree-form
       4 to 5 ft.
              .......
                                   25 00
       5 to 6 ft.
              27 50
       6 to 7 ft.
              30 00
 66
   polymorphum dissectum, Green cut-leaved
      1½ to 2
              ft.
                 7 50
         to 2½ ft.
                 10 00
      2½ to 3
               ft.
                 12 50
         to 3½ ft.
                 .......
                                   15 00
      3½ to 4
               ft.
                 17 50
      4
         to 4½ ft.
                 20 00
      4½ to 5
               ft.
                 22 50
         to 6
               ft.
                 25 00
   polymorphum dissectum. Standard or Tree-form
      4 to 5 ft. ......
                                   25 00
      5 to 6 ft.
                                   27 50
      6 to 7 ft.
              30 00
   polymorphum dissectum atropurpureum, Purple cut-leaved
      1\frac{1}{2} to 2
              ft.
                 .......
                                   7 50
      2
         to 21/2 ft.
                 10 00
      2½ to 3
              ft.
                 12.50
      3 to 3½ ft. ......
                                   15 00
      3½ to 4
              ft.
                 17 50
         to 4½ ft.
                 20 00
      4½ to 5
               ft.
                 22 50
      5
         to 6
               ft.
                 25 00
         to 7
               ft.
                 30 00
   polymorphum dissectum atropurpureum, Tree-form
      25 00
      5 to 6 ft.
                                   27 50
      6 to 7 ft.
                                   30 00
   polymorphum reticulatum, Green and yellow variegated
      1½ to 2 ft. .....
                                    7 50
         to 2½ ft.
                                   10 00
                 2\frac{1}{2} to 3 ft.
                 12 50
         to 3½ ft.
                 15 00
      3½ to 4
               ft.
                 17 50
         to 4½ ft.
                                   20 00
                 Aesculus flava and rubra, see Pavia
Aesculus glabra, (Pavia glabra) Ohio Buckeye
      4 to 5 ft. ......
                                    4 00
      6 to 8 ft.
               6 50
   Hippocastaneum, European Horse Chestnut
                                    6 00
      6 to 7 ft. ......
      1\frac{1}{2} to 1\frac{3}{4} in. cal. .....
                                    7 50
      1¾ to 2
               in. cal. .....
                                   10 00
      2\frac{1}{4} to 2\frac{1}{2} in. cal. .....
                                   15 00
      2\frac{1}{2} to 2\frac{3}{4} in. cal.
                     . . . . . . . . . . . . . . . . .
                                   17 50
      23/4
         to 3
               in. cal.
                     . . . . . . . . . . . . . . . . . . .
                                   20 00
      3
         to 3½ in. cal.
                     . . . . . . . . . . . . . . . .
                                   25 00
      3\frac{1}{2}
         to 4
               in. cal.
                                   30 00
                     . . . . . . . . . . . . . . . .
               in. cal.
                                   35 00
         to 5
      4
      5
         to 6
               in. cal.
                                   40 00
```

| Aesculus (Cont.) Per : | 10 Per | 100 |
|--|----------------------------------|--------------------------------------|
| " Hippocastaneum alba plena, Double White flo | wering | 100 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 00 50 00 00 00 00 | |
| "Hippocastaneum Briotti, Red flowering Horse 9 to 10 ft., 1½ to 2 in. cal 20 | | nut |
| 3 to 4 ft. 1 4 to 6 ft. 2 6 to 8 ft. 3 8 to 10 ft. 4 | 75 15 00 15 00 25 | 2 00 5 00 7 50 5 00 5 00 |
| Alnus glutinosa, European Alder 4 to 6 ft | 50 20 | 00 |
| " incana 4 to 6 ft | 50 | |
| Andromeda arborea, See Oxydendron | | |
| Aralia, See shrub section | | |
| Betula abla, European White Birch 3 to 4 ft. 1 12 to 14 ft. 10 | 50 00 | |
| | ch 00 00 | |
| " alba pyramidalis, Pyramidal White Birch 6 to 7 ft 10 | 00 | |
| 5 to 6 ft. 3 6 to 8 ft. 4 8 to 10 ft. 5 10 to 12 ft. 7 12 to 14 ft. 10 | 00 48 50 00 | 5 00 5 00 |
| 8 to 10 ft 5 | 00 40 00 50 50 75 | 0 00 0 00 5 00 0 00 |
| " populifolia, Poplar or American White Birch 10 to 12 ft. 7 12 to 15 ft. 10 | | 5 00 |

| Broussonetia papyrifera, Paper Mulberry 4 to 5 ft | 12 00 15 00 |
|---|--------------------------------|
| Catalpa Bungei, Standards 6 ft. stems, 2 year heads 6 00 " speciosa, Western Catalpa 1 50 4 to 6 ft. 1 75 8 to 10 ft. 2 50 Cedrela sinensis 2 to 3 ft. 2 50 4 to 6 ft. 3 50 6 to 8 ft. 5 00 8 to 10 ft. 6 00 1½ to 2 in. cal. 7 50 2 to 2½ in. cal. 10 00 2½ to 3 in. cal. 12 50 3 to 3½ in. cal. 15 00 4 to 5 in. cal. 20 00 | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | |
| " speciosa, Western Catalpa 4 to 6 ft. 1 50 6 to 8 ft. 1 75 8 to 10 ft. 2 50 Cedrela sinensis 2 to 3 ft. 2 50 4 to 6 ft. 3 50 6 to 8 ft. 5 00 8 to 10 ft. 6 00 $1\frac{1}{2}$ to 2 in. cal. 7 50 2 to $2\frac{1}{2}$ in. cal. 10 00 $2\frac{1}{2}$ to 3 in. cal. 12 50 3 to $3\frac{1}{2}$ in. cal. 15 00 4 to 5 in. cal. 20 00 | |
| A to 6 ft. 1 50 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 13 00 |
| $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | |
| 4 to 6 ft. 3 50 6 to 8 ft. 5 00 8 to 10 ft. 6 00 1½ to 2 in. cal. 7 50 2 to 2½ in. cal. 10 00 2½ to 3 in. cal. 12 50 3 to 3½ in. cal. 15 00 4 to 5 in. cal. 20 00 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| 2½ to 3 in. cal. 12 50 3 to 3½ in. cal. 15 00 4 to 5 in. cal. 20 00 | |
| 4 to 5 in. cal 20 00 | |
| | |
| Celtis occidentalis, Nettle, Hackberry | |
| 0.4. 7.0 | |
| 6 to 7 ft 5 00 8 to 10 ft 7 50 | |
| Cerasus Avium rosea fl. pl. Double pink flowering Che | nntr |
| 5 to 6 ft | ;11 y |
| " Japonicum rosea pendula, Weeping rose flowering 6 ft. stem, 2 year heads | Cherry |
| Cercidiphyllum Japonicum | |
| 4 to 5 ft 6 50 | |
| 5 to 6 ft 7 50 | |
| 8 ft 10 00 | |
| Cercis Canadensis, see shrub section | |
| Cornus florida, see shrub section . | |
| Crataegus, see shrub section | |
| Cytissus Laburnum, see Laburnum shrub section | |
| Fraxinus Americana, White Ash | |
| 8 to 10 ft 3 00 | 25 00 |
| 1¼ to 1½ in. cal 4 00 | 35 0 0 50 0 0 |
| 1½ to 1¾ in. cal | 100 00 |
| 2 to 2¼ in. cal | 200 00 |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal | |
| " excelsior, English Ash | |
| 1½ to 1¾ in. cal | |
| $1\frac{3}{4}$ to 2 in. cal | |
| 2 to 2¼ in. cal | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal | |
| $2\frac{3}{4}$ to 3 in cal | |
| " quadrangulata, Blue Ash | |
| 5 to 6 ft | |
| 6 to 8 ft | 18 00 |
| 1½ to 1¾ in. cal 5 00 | |

| Fraxinus (Cont.) | Per 10 | Per 100 |
|--|--------------|----------|
| " viridis (lanceolata) Green Ash | 2 01 20 | 2 01 200 |
| 1¾ to 2 in. cal | 10 00 |) |
| 2 to $2\frac{1}{4}$ in. cal | | |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal | | |
| $2\frac{1}{2}$ to $2\frac{3}{4}$ in. cal | 17 50 | |
| 2¾ to 3 in. cal | 20 00 |) |
| Ginkgo, see Salisburia | | |
| Gleditschia triacanthos, Honey Locust | 2 00 | 20 00 |
| 4 to 5 ft | 2 00 | |
| 8 to 10 ft | 5 00 | |
| 1¼ to 1½ in. cal | 8 50 | |
| 1½ to 1¾ in. cal | 10 00 | |
| 1¾ to 2 in. cal | 12 50 | - |
| Gymnocladus Canadensis (dioica) Kentucky (| offee 7 | ree |
| 4 to 6 ft | 2 50 | |
| 6 to 8 ft | 3 50 | |
| 1¼ to 1½ in. cal | 4 00 | |
| 1½ to 1¾ in. cal | 6 00 | |
| 1¾ to 2 in. cal | | |
| 2 to 2¼ in. cal | 12 50 |) |
| Juglans nigra, Black Walnut | 0.5/ | |
| 4 to 6 ft | | |
| 6 to 8 ft | 5 3(|) 23 00 |
| 4 to 5 ft. | 3 00 | n |
| 6 to 8 ft. | | |
| 8 to 10 ft. | | |
| Laburnum vulgare, see shrub section | | • |
| Larix Europaea (decidua) European Larch | | |
| 5 to 6 ft | |) |
| 6 to 8 ft | 5 0 | 0 |
| 8 to 10 ft | | |
| 10 to 12 ft | | - |
| 12 to 14 ft | 10 0 | 0 |
| " leptolepis (Kaempferi) Japanese Larch | | • |
| 2½ to 3 ft | 7 5 | J |
| Liquidambar styraciflua, Sweet Gum | 3 5 | 0 |
| 5 to 6 ft | | ī |
| 7 to 8 ft. | | |
| 1½ to 1¾ in. cal | | |
| 1¾ to 2 in. cal | 125 | |
| 2 to 2¼ in. cal | | |
| 2¼ to 2½ in. cal | | |
| $2\frac{1}{2}$ to $2\frac{3}{4}$ in. cal | | |
| $2\sqrt[3]{4}$ to 3 in. cal | | 0 200 00 |
| 3 to 3½ in. cal | | |
| 3½ to 4 in. cal | | |
| 4 to 5 in. cal | . 40 0 | 0 |
| Magnolia acuminata, Cucumber Tree | | • |
| 4 to 6 ft | . 35 | O |
| " glauca (Virginiana) Sweet or Swamp Ma | | ٥ |
| 2 to 3 ft. with ball | | |
| 4 to 5 ft. with ball | | |
| 5 to 6 ft. with ball | | |
| 6 to 7 ft. with ball | | |
| (Magnolias continued page 8) | | - |
| See Price List of Specimen Trees, Pa | | |

MAGNOLIAS

Large Flowered Chinese Varieties.

| | Per 1 | .0 | Per 100 |
|--|-------------|----|--------------|
| Magnolia Alexandrina, White, pink centre | | | |
| 2 to 3 ft. with ball | 10 | 00 | |
| " alba superba, White | | | |
| 2 to 3 ft. with ball | 10 | 00 | |
| " Lennei, Large, purple flowered | | | |
| 2 to 3 ft. with ball | 10 | 00 | |
| 3 to 4 ft. with ball | 13 | 50 | |
| 4 to 5 ft. with ball | 15 | 00 | |
| " purpurea (obovata) Purple | | | |
| 2 to 3 ft., with ball | 6 | 50 | |
| 3 to 4 ft., with ball | | 50 | |
| 4 to 5 ft., with ball | 10 | | |
| 5 to 6 ft., with ball | 15 | 00 | |
| 6 to 7 ft., with ball | 20 | 00 | |
| " Soulangeana, Large pink flowered | | | |
| 2 to 3 ft., with ball | 10 | 00 | |
| 3 to 4 ft., with ball | $\ddot{13}$ | | |
| 4 to 4½ ft., with ball | 15 | 00 | |
| " Soulangeana nigra, Large dark pink flow | | | |
| 3 to 3½ ft., with ball | | 50 | |
| $3\frac{1}{2}$ to 4 ft., with ball | | | |
| 4 to 5 ft., with ball | | | |
| 2 00 1, | | • | |
| speciosa, marry plant nowered | . 10 | ۸۸ | |
| 2 to 3 ft., with ball | 13 | | |
| | | 90 | |
| " stellata (Halleana) Hall's white star flow | erea | EΛ | |
| 2 to 3 ft., with ball | | | |
| 3 to 4 ft., with ball | | | |
| 5 to 6 ft., with ball | 40 | vv | |
| Malus coronaria (Pyrus) Sweet scented Crab | 4 | ^^ | 05 00 |
| 4 to 6 ft | | 00 | 35 00 |
| 6 to 7 ft | О | 00 | |
| " loensis, Bechtel's double flowering | _ | | |
| 3 to 4 ft | | 50 | |
| 4 to 5 ft | 5 | 00 | |
| Morus Tatarica, Russian Mulberry | | | |
| . 6 to 8 ft | Ţ | 50 | |
| " Tatarica Meehan's Globe Headed | | | |
| 3 year heads | . 12 | 50 | |
| " Tatarica Tea's Weeping Mulberry | | | |
| 2 year heads | . 6 | 50 | |
| 4 year heads | 12 | 50 | |
| Negundo, See Acer Negundo | | | |
| Ostrya Virginica, Iron Wood | | | |
| 3 to 4 ft | . 3 | 50 | |
| 4 to 6 ft | | 00 | |
| Oxydendron arboreum (Andromeda) Sorrel-tre | | | |
| 3 ft | 3 | 50 | |
| O TO: ********************************** | _ | | |

| Paulaumia impanialia Empresa Mass | Per 10 | Per 100 |
|--|--|---|
| Paulownia imperialis, Empress Tree 6 to 8 ft | 5 00 | |
| Pavia flava (octangra) Yellow Buck-eye 5 to 6 ft | 6 50 | |
| " Macrostachya, Dwarf Horse Chestnut 18 to 24 in | | |
| " rubra, Pink flowered Buck-eye 6 to 8 ft | . 6 50 | |
| Persica, Flowering peach, see shrubs | | |
| Platanus orientalis, European Sycamore, Plan 5 to 6 ft. | . 2 00 2 50 3 50 . 7 50 . 10 00 . 12 50 . 20 00 . 22 50 . 25 00 . 27 00 . 37 00 . 35 00 | 25 00 35 00 75 00 100 00 125 00 |
| Populus alba Bolleana, Bolle's Silver Poplar 8 to 10 ft. 1½ to 1½ in. cal. 1½ to 1¾ in. cal. 1¾ to 2 in. cal. 2 to 2½ in. cal. | . 3 50 . 5 00 . 7 50 |)) |
| " nigra fastigiata (Italica) Lombardy Pop 4 to 6 ft | . 1 50 . 1 75 . 2 50 | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Pyrus Bechtel's and other flowering Appl | es, see | Malus |
| Quercus Bannisteri, Scrub Cak 4 to 6 ft. 6 to 8 ft. | | |
| " bicolor (platanoides) Swamp White Oak 5 to 6 ft | . 4 00 . 7 50 . 10 00 . 12 50 . 15 00 . 17 50 . 20 00 | 75 00 100 00 0 0 |

| Quercus (Cont.) | Per 10 | Per 100 |
|--|------------------|-------------------------|
| " coccinea, Scarlet Oak | | |
| 4 to 6 ft | 6 00 | 60 00 |
| 6 to 8 ft | 7 50 | 75 00 |
| 1¼ to 1½ in. cal | $10 00 \\ 12 50$ | 100 00 125 00 |
| $1\frac{3}{4}$ to 2 in. cal | 15 00 | 150 00 |
| 2 to 2¼ in. cal | 17 50 | |
| 2¼ to 2½ in. cal | 20 00 | |
| 2½ to 2¾ in. cal | 25 00 $27 50$ | |
| 3 to 3½ in. cal | 30 00 | |
| " imbricaria, Shingle Oak | | * |
| 4 to 6 ft | 7 50 | |
| 6 to 8 ft | 10 00 | |
| macrocarpa, bur or mossy cup Oak | 40.00 | |
| 1¼ to 1½ in. cal | 10 00 12 50 | |
| 2 to 2½ in. cal | | |
| 2½ to 3 in. cal | 25 00 | ` |
| " nigra (Marilandica) Black Jack Oak | | |
| 4 to 5 ft | 3 50 | |
| " obtusiloba (minor) Post Oak | | |
| 4 to 6 ft | 3 50 5 00 | 35 00 50 00 |
| 1½ to 2 in. cal | | 50 00 |
| " palustris, Pin Oak | | |
| 4 to 6 ft | 5 00 | 50 00 |
| 6 to 8 ft | 6 50 | 60 00 |
| 8 to 10 ft | $10 00 \\ 12 50$ | 100 00 |
| 1¾ to 2 in. cal | | |
| 2 to 2¼ in. cal | 17 50 | |
| 2¼ to 2½ in. cal | | |
| $2\frac{1}{2}$ to $2\frac{3}{4}$ in. cal | | |
| 3 to 3½ in. cal | 30 00 | |
| 4 to 6 ft | 6 00 | 60 00 |
| 6 to 8 ft | 7 50 | 75 00 |
| 8 to 10 ft | 9 00 | 90 00 |
| 1¼ to 1½ in. cal | $10 00 \\ 12 50$ | 100 00 125 00 |
| 1 ⁷ / ₂ to 1 ⁷ / ₄ in. cal | | 150 00 |
| 2 to 2¼ in. cal | | |
| " tinctoria (velutina) Black Oak | | |
| 4 to 6 ft | | 40 00 |
| 6 to 8 ft | | 75 00 |
| Robinia pseudo-acacia, Yellow or Black Locust | | |
| 2 to 3 ft | | 5 00 |
| 3 to 4 ft | 1 25 | |
| 4 to 6 ft | | 10 00 |
| 6 to 8 ft | | 12 00 15 00 |
| 10 to 12 ft | | _3 00 |
| | | |

| | er 10 | Per 100 |
|---|--|--|
| Salisburia adiantifolia (Ginkgo biloba) Maidenhai | | |
| 5 to 6 ft | 3 00 3 50 | $25 00 \\ 35 00$ |
| 8 to 10 ft | 5 00 | |
| 1¼ to 1½ in. cal | 7 50 12 50 | $\begin{array}{c} 75 & 00 \\ 125 & 00 \end{array}$ |
| | 15 00 | 150 00 |
| 2 to 2¼ in. cal | 20 00 | |
| Salix alba, White Willow | 1 50 | 15 00 |
| 4 to 6 ft 8 to 10 ft | 1 50 3 50 | 15 0 0 |
| 10 to 12 ft | 4 00 | |
| " Babylonica, Babylonian Weeping Willow | | 40.00 |
| 6 to 8 ft | $\frac{2}{3} \frac{00}{00}$ | $\begin{array}{c} 18 & 00 \\ 25 & 00 \end{array}$ |
| 10 to 12 ft | 6 50 | |
| | Willo | w |
| 4 to 6 ft | $\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$ | |
| 6 to 8 ft | | |
| 10 to 12 ft., 1½ to 1¾ in. cal | 5 00 | |
| " regalis, White-leaved Willow | | |
| 4 to 6 ft | $\begin{array}{cccc} 2 & 00 \\ 2 & 50 \end{array}$ | 20 00 |
| 6 to 8 ft 8 to 10 ft | 3 00 | 25 00 30 0 0 |
| " rosmarinifolia, (incana petiolaris) Rosemar | | |
| 2 to 3 ft | 1 50 | 12 0 0 |
| 3 to 4 ft | $\begin{array}{c} 1 & 75 \\ 3 & 00 \end{array}$ | |
| " vitellina aurea, Golden-barked Willow | 0 00 | 20 00 |
| 3 to 4 ft | 1 50 | |
| 5 to 6 ft | 1 75 | 15 00 |
| vitellina purpureato 3 ft | 1 50 | ı |
| Sophora Japonica, Pagoda Tree | | |
| 2 to 3 ft | 2 50 | |
| 3 to 4 ft | $\frac{3}{5} \frac{50}{00}$ | |
| 5 to 6 ft | 7 50 | |
| 6 to 8 ft | 10 00 | |
| Sorbus Americana (Pyrus Americana) American 10 to 12 ft., 2¼ to 2½ in. cal | Mour 12 50 | |
| " Aucuparia, European Mt. Ash, Rowan Tree | 00 | • |
| 6 to 8 ft | 3 50 |) |
| Taxodium distichum, Bald or Deciduous Cypres 3 to 4 ft. | 2 50 |) |
| Tilia alba argentea (tomentosa) White-leaved Li | inden | |
| 6 to 8 ft 8 to 10 ft | 6 50 10 00 | |
| 2 to 2¼ in. cal | 20 00 | |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal | 25 00 | |
| 2½ to 2¾ in. cal | 27 50 30 00 | |
| 3 to 3½ in. cal | 35 00 | 350 00 |
| $3\frac{1}{2}$ to 4 in. cal | 50 00 |) |
| | | |



Tilia Dasystyla (Euchlora) Yellow Twigged Linden

The yellow-twigged or Crimean Linden is a tree which in the past has been little used for street planting. Four years ago we induced the Shade Tree Commission of East Orange, New Jersey, to plant one street with these trees to prove their desirability for this purpose. In a letter recently received from Mr. Ernest H. Bennett, Supervising Foreman for the Commission, he writes "the trees were planted in the Fall of 1911, on Kenwood Place. There are in all seventy-five trees in perfect condition, not having lost a single tree. The trees are very uniform in size and make a beautiful showing, and I predict that this will be one of our most beautiful streets, they are so regular in their growth. We feel proud of our trees."

The tree is very symmetrical in its growth. The foliage is light green with bright shiny surface, remaining on the tree without changing color until late in the fall.



Tilia Europaea, European Linden

Our stock of European Lindens in the 3 to $3\frac{1}{2}$ and $3\frac{1}{2}$ to 4 inch calliper grades consists of about twelve hundred trees, all of which, have been transplanted within the last three years. Every tree has a perfectly straight trunk, a well developed head, and is branched from six to seven feet from the ground. They are perfect trees for street planting.

| Tilia | (Cont.) | Per 10 | Per 100 |
|-------|---|--|---|
| -66 | Americana (Caroliniana) American Linder | n, Bassw | rood |
| | 6 to 8 ft. 8 to 10 ft., 1¼ to 1½ in. cal. 1½ to 1¾ in. cal. 1¾ to 2 in. cal. 2 to 2¼ in. cal. 2¼ to 2½ in. cal. 2½ to 2½ in. cal. 2½ to 2¾ in. cal. 3¼ to 3 in. cal. 3 to 3½ in. cal. | 4 00 6 00 7 50 10 00 12 50 15 00 17 50 20 00 25 00 | 40 00 60 00 75 00 100 00 125 00 150 00 175 00 200 00 250 00 |
| | 3½ to 4 in. cal | 30 00 | 300 00 |
| и | dasytyla (euchlora) Crimean Linden 1½ to 1½ in. cal. | 17 50 20 00 22 50 25 00 27 50 | 100 00 150 00 175 00 200 00 225 00 250 00 275 00 |
| ш | Europaea, European Linden 1¾ to 2 in. cal. 2 to 2¼ in. cal. 2½ to 2½ in. cal. 2½ to 2¾ in. cal. 2¾ to 3 in. cal. 3 to 3½ in. cal. 3½ to 4 in. cal. | 20 00 25 00 35 00 | 350 00 400 00 |
| 44 | paltyphyllos, Broad-leaved European Lin 6 to 8 ft. 1½ to 1¾ in. cal. 1¾ to 2 in. cal. 2¼ to 2½ in. cal. 2½ to 2¾ in. cal. 2¾ to 3 in. cal. 3 to 3½ in. cal. | 3 00 6 00 8 50 12 50 15 00 | |
| Ulm | 134 to 2 in. cal | . 15 00 . 17 50 . 22 50 . 25 00 . 27 50 . 30 00 . 35 00 . 40 00 | 135 00 175 00 225 00 |

| Ulmus (Cont.) | Per 10 | Per 100 |
|---------------------------------------|--------|---------|
| " latifolia, Scotch Elm | | |
| latitona, Scotch Elm | | |
| 6 to 8 ft | 2 50 | 25 00 |
| 8 to 10 ft | 3 50 | 35 00 |
| 10 to 12 ft., 1¼ to 1½ in. cal. | 5 00 | 45 00 |
| 1½ to 1¾ in. cal | 8 50 | |
| 1¾ to 2 in. cal | 10 00 | |
| 2½ to 3 in. cal | 15 00 | |
| 3 to 3½ in. cal | 25 00 | |
| $3\frac{1}{2}$ to 4 in. cal. specimen | | |
| 4 to 5 in. cal. specimen | | |
| 5 to 6 in. cal. specimen | 60 00 | |
| " campestris, English Elm | | |
| 3½ to 4 in. cal | 30 00 | |
| 4 to 5 in. cal | | |
| 5 to 6 in. cal | 40 00 | |
| " Campestris Wheatleyii | | |
| 6 to '8 ft | 7 50 | |
| 1¼ to 1½ in. cal | 10 00 | |
| 1½ to 1¾ in. cal | | |
| 1¾ to 2 in. cal | | |
| 2 to $2\frac{1}{2}$ in. cal | 17 50 | |
| " parvifolia, Japanese Elm | | |
| 4 to 5 ft | 5 00 | |
| 6 to 7 ft | 7 50 | |
| 8 to 10 ft | 10 00 | |
| · | | |
| " racemosa, Cork-barked Elm | | |
| 6 to 7 ft | | |
| 1% to 2 in. cal | | |
| 2 to 2½ in. cal | | |
| 2½ to 2½ in. cal | | |
| 2¾ to 3 in. cal | 50 00 | |

Specimen Shade Trees

This is a particularly fine lot of Specimen Shade Trees for planting for immediate results. These trees were transplanted four years ago and set ten by ten feet apart in nursery rows, allowing ample room for top development. They are abundantly supplied with fibrous roots, have good straight trunks and well developed, symetrical tops. They are mostly branched from six to eight feet from the ground.

When ordering from this list be careful to mention these

"specimen trees."

| | | Eac | cn |
|-----------------|--|-----|-----------|
| Acer Negun | do, Ash-leaved Maple, Box Elder | | |
| 4 | 5 to 6 in. cal | .7 | 50 |
| 4 | 6 to 7 in. cal | .8 | 50 |
| " platano | pides, Norway Maple | | |
| 263 | 2½ to 2¾ in. cal | .3 | 00 |
| 3 83 | 2¾ to 3 in. cal | . 3 | 50 |
| 51 5 | 3 to 3½ in. cal | .4 | 00 |
| 56 | 3½ to 4 in. cal | .5 | 00 |
| 4 | 4 to 5 in. cal | .6 | 00 |
| " sacchai | rum, Sugar or Rock Maple | | |
| 3 | 2 to 2¼ in. cal | . 2 | 50 |
| 10 | $2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal | | 00 |
| $\frac{-7}{27}$ | $2\frac{1}{2}$ to $2\frac{3}{4}$ in. cal | . 3 | 50 |
| 17 | 2¾ to 3 in. cal | .4 | 00 |
| $\frac{1}{29}$ | 3 to 3½ in. cal | | 50 |
| $\frac{20}{22}$ | 3½ to 4 in. cal | | 00 |
| | ciosa, Western Catalpa | •• | |
| 3 | 3 to 3½ in. cal | . 3 | 00 |
| 37 | 3½ to 4 in. cal | | 50 |
| $\frac{31}{26}$ | 4 to 5 in. cal | | |
| 7 | 5 to 6 in. cal | | 50 |
| | mericana, White Ash | • • | •• |
| 3 | 3 to 3½ in. cal | 3 | 00 |
| 4 | 3½ to 4 in. cal | | 50 |
| 2 | 4 to 5 in. cal | | 00 |
| | us canadensis, Kentucky Coffee Tree | • • | • • |
| 5 | 2½ to 2½ in. cal | 2 | 50 |
| 5 5 | 2½ to 2¾ in. cal | . 2 | |
| 4 | 2¾ to 3 in. cal | .3 | 50 |
| 3 | 3½ to 4 in. cal | | 00 |
| | rientalis, European Sycamore Plane | . 1 | 00 |
| | $2\frac{1}{2}$ to $2\frac{3}{4}$ in. cal | 2 | 00 |
| 50 50 | | . 0 | 50 |
| 50 | / * | . 3 | |
| 51 | | 5 | 00 |
| 40 | 3½ to 4 in. cal | . 5 | vv |
| | adiantifolia, Ginkgo, Maidenhair Tree 2 to 2¼ in. cal | 9 | 00 |
| 3 | 2 to 2¼ in. cal | | 50 |
| $\frac{2}{2}$ | | . 0 | 75 |
| 3 | | | 00 |
| 2 | | . 4 | UU |
| | ericana, American Elm | 2 | 00 |
| 18 | 2½ to 2¾ in. cal | 0 | 50 |
| 33 | 2¾ to 3 in. cal | | 00 |
| 69 | 3 to 3½ in. cal | 4 | 00 |
| $\frac{99}{2}$ | 3½ to 4 in. cal | 0 | |
| 55 | 4 to 5 in. cal | . 0 | UU |

Deciduous Shrubs

Some people have an idea that "shrubs are shrubs." They are, but there is a big difference in the character of the stock and it is this that fixes their value. Some shrubs are grown very thickly in the nursery rows, they can be grown very cheaply because a great many more can be grown on an acre than if they are given more room, but it is done at a sacrifice to the plants. We set our shrubs wider apart in the nursery rows than is usually practiced by nurserymen. This gives the plant more room to develop and a bushier shrub is the result. This fact should be kept in mind when comparing prices.

| prices. | Per : | 10 | Per 1 | ۸۸ |
|--|-------|------------|-------|-----|
| Althaea Syriacus Ardens, Double blue | rer. | LU | reri | .00 |
| 2 to 3 ft | | 85 | 8 | 00 |
| 3 to 4 ft | 1 | 25 | 10 | |
| " Syriacus Boule de Feu, Double red | | | | |
| 2 to 3 ft | | 85 | 8 | 00 |
| 3 to 4 ft | 1 | 25 | 10 | |
| " Syriacus carnea plena, Double flesh pink | | | | |
| 1½ to 2 ft | | 65 | | |
| 2 to 3 ft | | 85 | 8 | 00 |
| 3 to 4 ft | 1 | 25 | 10 | 00 |
| " Syriacus coelestis, Single blue | | | • | |
| 1½ to 2 ft | | 65 | 6 | 00 |
| 2 to 3 ft | | 85 | | 00 |
| 3 to 4 ft | 1 | 25 | 10 | 00 |
| " Syriacus Duc de Brabant, Double red | | | | |
| 1½ to 2 ft | | 65 | | |
| 2 to 3 ft | | 85 | 8 | 00 |
| 3 to 4 ft | | 25 | | 00 |
| 5 to 6 ft | 2 | 50 | 20 | 00 |
| " Syriacus Jean d'Arc, Double white | | | | |
| 2 to 3 ft | | 85 | 8 | 00 |
| 3 to 4 ft | 1 | 25 | 10 | 00 |
| 4 to 5 ft | . 1 | | 15 | 00 |
| 5 to 6 ft | . 2 | 50 | 20 | 00 |
| " Syriacus Lady Stanley, Pink | | | | |
| 2 to 3 ft | | 85 | | 00 |
| 3 to 4 ft | | 25 | | 00 |
| 4 to 5 ft | , 1 | 75 | 15 | 00 |
| " Syriacus rubis, Single red | | | | |
| 1½ to 2 ft | | 65 | | 00 |
| 2 to 3 ft | , | 85 | _ | 00 |
| 3 to 4 ft | . 1 | 25 | 10 | 00 |
| " Syriacus Snowdrift, Single white | | | | |
| 2 to 3 ft | | 85 | 8 | 00 |
| " Syriacus paeoniflora, Double pink | | | | |
| 2 to 3 ft | | 85 | 8 | 00 |
| " Syriacus rubra plena, Double red | | | | |
| 2 to 3 ft | | 8 5 | 8 | 00 |
| " Syriacus totus albus, Single white | | | _ | |
| 1½ to 2 ft | | 65 | | 00 |
| 2 to 3 ft | | 85 | | 00 |
| 3 to 4 ft | 1 | . 50 | 12 | 00 |

| "Syriacus variegata fl. pl. Variegated leaved 1½ to 2 ft | Althaea (Cont.) | Per 10 | Per 100 |
|--|---|----------|---------|
| 2 to 3 ft. 135 12 00 3 to 4 ft. 175 15 00 4 to 5 ft. 2 00 13 00 5 to 6 ft. 2 50 20 00 "Syriacus Meehani variegata, Variegated-leaved, Single 2 to 3 ft. 175 15 00 3 to 4 ft. heavy 2 25 20 00 4 to 5 ft. heavy 3 50 30 00 Amelanchier Botryapium (Canadensis) June-berry 1½ to 2 ft. 100 9 00 2 to 3 ft. 125 12 00 Amorpha canescens, Lead Plant 1 to 1½ ft. 1 25 10 00 1½ to 2 ft. 1 35 12 00 "fruticosa, False Indigo 1½ to 2 ft. 1 00 8 00 2 to 3 ft. 1 00 8 00 3 to 4 ft. 1 1 25 10 00 Amygdalus nana, Double White Flowering Almond 2 to 3 ft. 1 35 12 00 Amygdalus nana, Double White Flowering Almond 2 to 3 ft. 1 75 15 00 Amygdalus nana, Double White Flowering Almond 2 to 3 ft. 1 75 15 00 "persica, See Prunus Persica Andromeda arborea, See Oxydendron Aralia Japonica 1½ to 2 ft. 1 00 8 00 2 to 3 ft. 1 25 12 00 Aralia Japonica 1½ to 2 ft. 1 00 8 00 3 to 4 ft. 1 1 25 10 00 3 to 4 ft. 1 1 25 10 00 3 to 4 ft. 1 1 25 10 00 Aralia Japonica 1 1½ to 2 ft. 1 1 00 8 00 2 to 3 ft. 1 1 25 12 00 Aralia Japonica 1 1½ to 2 ft. 1 1 00 8 00 2 to 3 ft. 1 1 25 10 00 3 to 4 ft. 1 1 75 15 00 "pentaphylla (Acanthopanax) 1 1½ to 2 ft. 1 1 00 8 00 2 to 3 ft. 1 1 25 10 00 3 to 4 ft. 1 1 50 15 00 Aronia arbutifolia, red-berried Choke-berry 2 to 3 ft. 1 25 10 00 3 to 4 ft. 1 35 12 00 Aronia arbutifolia, red-berried Choke-berry 1½ to 2 ft. 1 00 9 00 2 to 3 ft. 1 1 25 10 00 3 to 4 ft. 1 35 12 00 Aronia arbutifolia, red-berried Choke-berry 1½ to 2 ft. 1 00 9 00 2 to 3 ft. 1 1 25 10 00 3 to 4 ft. 1 1 35 12 00 Aralea amoena Hinodegiri, See Evergreen shrubs "Kaempferi, salmon pink 1½ to 2 ft. clumps 5 0 0 40 00 "Viscosa, Light pink and white 8 to 12 in. clumps 5 5 00 40 00 "Viscosa, Light pink and white 8 to 12 in. clumps 5 5 0 5 50 | | | |
| 3 to 4 ft. 1 75 15 00 4 to 5 ft. 2 00 18 00 5 to 6 ft. 2 50 20 00 "Syriacus Meehani variegata, Variegated-leaved, Single 2 to 3 ft. 1 75 15 00 4 to 5 ft. heavy 2 25 20 00 4 to 5 ft. heavy 3 50 30 00 Amelanchier Botryapium (Canadensis) June-berry 1½ to 2 ft. 1 00 9 00 2 to 3 ft. 1 25 12 00 Amorpha canescens, Lead Plant 1½ to 2 ft. 1 25 10 00 "fruticosa, False Indigo 1½ to 2 ft. 1 35 12 00 "fruticosa, False Indigo 1½ to 2 ft. 1 100 8 00 3 to 4 ft. 1 125 10 00 Amygdalus nana, Double White Flowering Almond 2 to 3 ft. 1 25 10 00 Amygdalus nana, Double White Flowering Almond 2 to 3 ft. 1 75 15 00 "Persica, See Prunus Persica Andromeda arborea, See Oxydendron Aralia Japonica 1½ to 2 ft. 1 00 8 00 3 to 4 ft. 1 25 10 00 "pentaphylla (Acanthopanax) 1½ to 2 ft. 1 00 8 00 3 to 4 ft. 1 25 10 00 3 to 4 ft. 1 25 10 00 Aralia Japonica 1½ to 2 ft. 1 50 00 "pentaphylla (Acanthopanax) 1½ to 2 ft. 1 50 00 "pentaphylla (Acanthopanax) 1½ to 2 ft. 1 50 00 Aronia arbutifolia, red-berried Choke-berry 2 to 3 ft. 1 50 00 Aronia arbutifolia, red-berried Choke-berry 1½ to 2 ft. 1 50 00 Azalea amoena Hinodegiri, See Evergreen shrubs "Kaempferi, salmon pink 1½ to 2 ft. 10 00 1½ to 3 ft. 10 00 1½ to 2 ft. 10 00 1½ t | | 1 25 | 10 00 |
| ## to 5 ft. | | | |
| **Syriacus Meehani variegata, Variegated-leaved, Single 2 to 3 ft. 1 75 15 00 4 to 5 ft. heavy 2 2 55 20 00 4 to 5 ft. heavy 3 50 30 00 Amelanchier Botryapium (Canadensis) June-berry 1½ to 2 ft. 100 9 00 2 to 3 ft. 1 25 12 00 Amorpha canescens, Lead Plant 1 to 1½ ft. 1 25 12 00 1½ to 2 ft. 1 25 12 00 12 1½ to 2 ft. 1 25 10 00 12 1½ to 2 ft. 1 25 10 00 12 1½ to 2 ft. 1 25 10 00 12 1½ to 3 ft. 1 25 10 00 12 12 12 12 12 12 12 12 12 12 12 12 12 | | | |
| # Syriacus Meehani variegata, Variegated-leaved, Single 2 to 3 ft | | 2 00 | |
| 1 | 0 0 0 10 | 2 50 | 20 00 |
| 3 to 4 ft. heavy 2 2 25 20 00 4 to 5 ft. heavy 3 50 30 00 Amelanchier Botryapium (Canadensis) June-berry 1½ to 2 ft. 100 9 00 2 to 3 ft. 125 12 00 Amorpha canescens, Lead Plant 1 to 1½ ft. 125 10 00 The fruticosa, False Indigo 1½ to 2 ft. 135 12 00 "fruticosa, False Indigo 1½ to 2 ft. 15 10 00 8 00 3 to 4 ft. 15 10 00 8 00 3 to 4 ft. 15 10 00 8 00 3 to 4 ft. 175 15 00 Amygdalus nana, Double White Flowering Almond 2 to 3 ft. 175 15 00 "nana, Double Pink Flowering Almond 2 to 3 ft. 175 15 00 "Persica, See Prunus Persica Andromeda arborea, See Oxydendron Aralia Japonica 1½ to 2 ft. 100 8 00 2 to 3 ft. 100 8 00 2 to 3 ft. 100 8 00 3 to 4 ft. 15 10 00 Andromeda arborea, See Oxydendron Aralia Japonica 15 10 00 8 00 2 to 3 ft. 100 8 00 2 to 3 ft. 100 8 00 3 to 4 ft. 15 10 00 Aronia ft. 15 15 00 Aronia arbutifolia, red-berried Choke-berry 2 to 3 ft. 15 00 Aronia arbutifolia, red-berried Choke-berry 1½ to 2 ft. 10 0 9 00 2 to 3 ft. 125 10 00 Aronia arbutifolia, red-berried Choke-berry 1½ to 2 ft. 100 9 00 2 to 3 ft. 125 10 00 Aralea amoena Hinodegiri, See Evergreen shrubs Kaempferi, salmon pink 1½ to 2 ft. 10 00 Azalea amoena Hinodegiri, See Evergreen shrubs Kaempferi, salmon pink 1½ to 2 ft. 10 00 2 to 2½ ft. clumps 5 00 40 00 "viscosa, Light pink and white 8 to 12 in. clumps 5 50 25 00 | 2 to 3 ft | eaved, S | lingle |
| Amelanchier Botryapium (Canadensis) June-berry 1½ to 2 ft. 1 00 9 00 2 to 3 ft. 1 25 12 00 Amorpha canescens, Lead Plant 1 to 1½ ft. 1 25 10 00 "fruticosa, False Indigo "fruticosa, False Indigo "1½ to 2 ft. 75 6 00 2 to 3 ft. 1 00 8 00 3 to 4 ft. 1 25 10 00 Amygdalus nana, Double White Flowering Almond 2 to 3 ft. 1 75 15 00 "nana, Double Pink Flowering Almond 2 to 3 ft. 1 75 15 00 "nana, Double Pink Flowering Almond 2 to 3 ft. 1 75 15 00 "persica, See Prunus Persica Andromeda arborea, See Oxydendron Aralia Japonica 1½ to 2 ft. 1 00 8 00 2 to 3 ft. 1 25 12 00 3 to 4 ft. 1 75 15 00 "pentaphylla (Acanthopanax) 1½ to 2 ft. 1 00 8 00 2 to 3 ft. 1 25 10 00 3 to 4 ft. 1 50 15 00 "pentaphylla (Acanthopanax) 1½ to 2 ft. 1 00 8 00 2 to 3 ft. 1 25 10 00 3 to 4 ft. 1 50 15 00 Aronia arbutifolia, red-berried Choke-berry 2 to 3 ft. 1 25 10 00 Aronia arbutifolia, red-berried Choke-berry 1½ to 2 ft. 1 00 9 00 2 to 3 ft. 1 25 10 00 Aronia arbutifolia, red-berried Choke-berry 1½ to 2 ft. 1 00 9 00 2 to 3 ft. 1 25 10 00 3 to 4 ft. 1 25 10 00 Aronia arbutifolia, red-berried Choke-berry 1½ to 2 ft. 1 00 9 00 2 to 3 ft. 1 25 10 00 3 to 4 ft. 1 25 10 00 3 to 4 ft. 1 35 12 00 Azalea amoena Hinodegiri, See Evergreen shrubs "Kaempferi, salmon pink 1½ to 2 ft. 1 00 1½ to 2 ft. | 3 to 4 ft heavy | 1 75 | |
| Amelanchier Botryapium (Canadensis) June-berry 1½ to 2 ft | 4 to 5 ft. heavy | 2 20 | |
| 1½ to 2 ft. | | | 30 00 |
| Amorpha canescens, Lead Plant 1 to 1½ ft | 114 to 9 ft | erry | 0.00 |
| Amorpha canescens, Lead Plant 1 to 1½ ft | | | |
| 1 to 1½ ft. 125 10 00 1½ to 2 ft. 135 12 00 "fruticosa, False Indigo 1½ to 2 ft. 75 6 00 2 to 3 ft. 100 8 00 3 to 4 ft. 125 10 00 Amygdalus nana, Double White Flowering Almond 2 to 3 ft. 175 15 00 "nana, Double Pink Flowering Almond 2 to 3 ft. 175 15 00 "nana, Double Pink Flowering Almond 2 to 3 ft. 175 15 00 "Persica, See Prunus Persica Andromeda arborea, See Oxydendron Aralia Japonica 1½ to 2 ft. 100 8 00 2 to 3 ft. 175 15 00 "pentaphylla (Acanthopanax) 1½ to 2 ft. 100 8 00 2 to 3 ft. 125 12 00 3 to 4 ft. 150 15 00 "spinosa, Hercules club 3 to 4 ft. 150 15 00 Aronia arbutifolia, red-berried Choke-berry 2 to 3 ft. 150 00 Aronia arbutifolia, red-berried Choke-berry 1½ to 2 ft. 100 9 00 3 to 4 ft. 150 15 00 Aronia arbutifolia, red-berried Choke-berry 1½ to 2 ft. 100 9 00 2 to 3 ft. 125 10 00 3 to 4 ft. 150 15 00 Aronia arbutifolia, red-berried Choke-berry 1½ to 2 ft. 100 9 00 2 to 3 ft. 125 10 00 3 to 4 ft. 150 15 00 Aronia arbutifolia, red-berried Choke-berry 1½ to 2 ft. 100 9 00 2 to 3 ft. 150 00 3 to 4 ft. 15 | | 1 20 | 12 00 |
| ## fruticosa, False Indigo ## fruticosa, Indigoo ## fruticosa, I | 1 to 114 ft | 1 95 | 10.00 |
| # fruticosa, False Indigo 1½ to 2 ft | | | |
| 1½ to 2 ft. | | 1 00 | 12 00 |
| 2 to 3 ft | C : 44/ i - 0 e/ | 75 | 6 00 |
| 3 | 00 (2 2 to 3 ft. | 1 00 | |
| Amygdalus nana, Double White Flowering Almond 2 to 3 ft | | 1 25 | |
| Amygdalus nana, Double White Flowering Almond 2 to 3 ft | | | |
| 2 to 3 ft | | | 00 |
| " nana, Double Pink Flowering Almond 2 to 3 ft | | | 15 00 |
| " Persica, See Prunus Persica Andromeda arborea, See Oxydendron Aralia Japonica 1½ to 2 ft | " nana Double Pink Flowering Almond | | |
| # Persica, See Prunus Persica Andromeda arborea, See Oxydendron Aralia Japonica 1½ to 2 ft. 100 8 00 2 to 3 ft. 125 12 00 3 to 4 ft. 175 15 00 # pentaphylla (Acanthopanax) 1½ to 2 ft. 100 8 00 2 to 3 ft. 125 10 00 3 to 4 ft. 150 15 00 # spinosa, Hercules club 3 to 4 ft. 150 15 00 Aronia arbutifolia, red-berried Choke-berry 2 to 3 ft. 175 15 00 Aronia arbutifolia, red-berried Choke-berry 1½ to 2 ft. 100 9 00 2 to 3 ft. 100 9 00 3 to 4 ft. 150 15 00 Aronia arbutifolia, red-berried Choke-berry 1½ to 2 ft. 100 9 00 2 to 3 ft. 150 00 3 to 4 ft. 150 00 4 melanocarpa (nigra) Black Choke-berry 1½ to 2 ft. 100 9 00 2 to 3 ft. 150 00 3 to 4 ft. 150 00 4 to 50 00 4 to | 2 to 3 ft | 1 75 | 15 00 |
| Andromeda arborea, See Oxydendron Aralia Japonica 1½ to 2 ft | | 0 | 10 00 |
| Aralia Japonica 1½ to 2 ft | Cisica, See II and I cisica | | |
| 1½ to 2 ft | | | |
| 2 to 3 ft | | . 1 00 | 8 00 |
| 3 to 4 ft | 2 to 3 ft | | |
| 1½ to 2 ft. 1 00 8 00 2 to 3 ft. 1 25 10 00 3 to 4 ft. 1 50 15 00 "spinosa, Hercules club 3 to 4 ft. 1 85 4 to 6 ft. 2 50 6 to 8 ft. 5 00 Aronia arbutifolia, red-berried Choke-berry 2 to 3 ft. 1 75 15 00 "melanocarpa (nigra) Black Choke-berry 1½ to 2 ft. 1 00 9 00 2 to 3 ft. 1 25 10 00 3 to 4 ft. 1 25 10 00 Azalea amoena Hinodegiri, See Evergreen shrubs "Kaempferi, salmon pink 1½ to 2 ft. 10 00 3 to 4 ft. 10 00 Lutea (calendulacea) 1½ to 2 ft. clumps 3 50 30 00 2 to 2½ ft. clumps 5 00 40 00 "viscosa, Light pink and white 8 to 12 in. clumps 2 50 25 00 | | . 175 | 15 00 |
| 1½ to 2 ft. 1 00 8 00 2 to 3 ft. 1 25 10 00 3 to 4 ft. 1 50 15 00 "spinosa, Hercules club 1 50 15 00 3 to 4 ft. 2 50 6 to 8 ft. 5 00 Aronia arbutifolia, red-berried Choke-berry 2 to 3 ft. 1 75 15 00 3 to 4 ft. 2 00 18 00 " melanocarpa (nigra) Black Choke-berry 1½ to 2 ft. 1 00 9 00 2 to 3 ft. 1 25 10 00 9 00 3 to 4 ft. 1 35 12 00 Azalea amoena Hinodegiri, See Evergreen shrubs Kaempferi, salmon pink 1½ to 2 ft. 10 00 " lutea (calendulacea) 1½ to 2 ft. clumps 3 50 30 00 2 to 2½ ft. clumps 5 00 40 00 " viscosa, Light pink and white 8 to 12 in. clumps 2 50 25 00 | " pentaphylla (Acanthopanax) | | |
| 2 to 3 ft | 1½ to 2 ft | . 1 00 | 8 00 |
| " spinosa, Hercules club 3 to 4 ft | | . 1 25 | |
| 3 to 4 ft | 3 to 4 ft | . 1 50 | 15 00 |
| 4 to 6 ft | " spinosa, Hercules club | | |
| 6 to 8 ft | | | |
| Aronia arbutifolia, red-berried Choke-berry 2 to 3 ft | | | |
| 2 to 3 ft | | . 5 00 |) |
| 3 to 4 ft | | | |
| " melanocarpa (nigra) Black Choke-berry 1½ to 2 ft. 1 00 9 00 2 to 3 ft. 1 25 10 00 3 to 4 ft. 1 35 12 00 Azalea amoena Hinodegiri, See Evergreen shrubs " Kaempferi, salmon pink 1½ to 2 ft. 10 00 " lutea (calendulacea) 3 50 30 00 1½ to 2 ft. clumps 3 50 30 00 2 to 2½ ft. clumps 5 00 40 00 " viscosa, Light pink and white 8 to 12 in. clumps 2 50 25 00 | | | |
| 1½ to 2 ft. 1 00 9 00 2 to 3 ft. 1 25 10 00 3 to 4 ft. 1 35 12 00 Azalea amoena Hinodegiri, See Evergreen shrubs " Kaempferi, salmon pink 1½ to 2 ft. 10 00 " lutea (calendulacea) 3 50 30 00 2 to 2½ ft. clumps 3 50 30 00 2 to 2½ ft. clumps 5 00 40 00 " viscosa, Light pink and white 8 to 12 in. clumps 2 50 25 00 | | . 200 | 18 00 |
| 2 to 3 ft | " melanocarpa (nigra) Black Choke-berry | | |
| 3 to 4 ft | | | |
| Azalea amoena Hinodegiri, See Evergreen shrubs "Kaempferi, salmon pink 1½ to 2 ft | | | |
| Kaempferi, salmon pink 1½ to 2 ft | | |) IZ 00 |
| 1½ to 2 ft. 10 00 " lutea (calendulacea) 3 50 30 00 2 to 2½ ft. clumps 5 00 40 00 " viscosa, Light pink and white 2 to 12 in. clumps 2 50 25 00 | | arubs | |
| " lutea (calendulacea) 1½ to 2 ft. clumps | " Kaempteri, saimon pink | 10.00 | , |
| 1½ to 2 ft. clumps | | . 10 00 | , |
| 2 to 2½ ft. clumps | iutca (caiciiaulacca) | 2 50 | 30 00 |
| " viscosa, Light pink and white 8 to 12 in. clumps | | | |
| 8 to 12 in. clumps | _ 55 _ 72 _ 55 _ 55 _ 55 _ 55 _ 55 _ 55 | | , 10 00 |
| 1½ to 2 ft. clumps | viscosa, hight plan and white | 2 50 | 25 00 |
| | 1½ to 2 ft. clumps | . 3 50 | |

| | Per 10 | Per 100 |
|--|---|----------------------|
| Baccharis halimifolia, Groundsel Shrub | | 40.00 |
| 1½ to 2 ft | 1 25 1 35 | $10 00 \\ 12 00$ |
| 3 to 4 ft | 1 75 | 15 00 |
| 4 to 5 ft. heavy | 2 50 | |
| 5 to 6 ft. heavy | 3 50 | |
| Benzoin odoriferum, See Lindera Benzoin | | |
| Berberis ilicifolia, Holly-leaved Barberry 1½ to 2 ft | 1 75 | 15 00 |
| 2 to 2½ ft | 2 25 | 20 00 |
| " Sieboldi | 2 20 | 20 00 |
| 2 to 3 ft. heavy | 2 50 | |
| 3 to 4 ft. heavy | 3 50 | |
| "Thunbergii, Japanese Barberry | | |
| 1 to 1½ ft\$ 65.00 per 1000 | 85 | 7 00 |
| 1½ to 2 ft 100.00 per 1000 2 to 2½ ft 140.00 per 1000 | $\begin{array}{ccc} 1 & 25 \\ 1 & 75 \end{array}$ | 10 00 15 00 |
| 2½ to 3 ft | 2 25 | 20 00 |
| These Japanese Barberry are very bushy pl | | 20 00 |
| " vulgaris, Green Barberry | | |
| 1½ to 2 ft | 75 | 6 00 |
| 2 to 3 ft | 1 25 | 11 00 |
| 3 to 4 ft | 1 50 | 13 00 |
| vulgaris purpurea, rurpie-leaveu barberr | | c 00 |
| 1½ to 2 ft | 75 1 00 | 6 0 0 8 00 |
| 3 to 4 ft | 1 35 | 12 00 |
| Buddleia intermedia | .1 00 | 12 00 |
| 2 to 3 ft | 1 25 | 10 00 |
| " variabilis, Butterfly plant | | |
| 3 to 4 ft | 1 25 | 10 00 |
| Callicarpa Japonica 2 to 3 ft | 1 50 | |
| 3 to 4 ft. | 1 75 | 15 00 |
| 4 to 5 ft. heavy | 3 00 | 10 00 |
| Calycanthus floridus, Sweet Shrub | | |
| 1½ to 2 ft | 1 25 | 10 00 |
| 2 to 3 ft | 1 35 | 12 00 |
| 3 to 4 ft | 1 75 | 15 00 |
| Caragana arborescens, Siberian Pea 1 to 1½ ft | 50 | 4 00 |
| 1½ to 2 ft | 65 | 5 00 |
| 2 to 3 ft | 75 | 7 00 |
| 3 to 4 ft | 1 00 | 9 00 |
| 4 to 5 ft | 1 25 | 10 00 |
| 5 to 6 ft | 1 50 | |
| Carpinus American (Caroliana) American Horn | opeam 3 00 | |
| 4 to 5 ft | 3 00 | |
| 18 to 24 in. | 1 25 | 11 00 |
| Ccanothus Americanus, New Jersey Tea | | |
| 1½ 'o 2 ft | 1 25 | 12 00 |
| 2 to 2½ ft | 1 50 | 15 00 |
| Cephalanthus occidentalis, Dwarf Button-bush | 4 00 | 0.00 |
| 1½ to 2 ft | 1 00 | 8 00 10 00 |
| 2 to 3 ft | $egin{array}{ccc} 1 & 25 \\ 1 & 50 \end{array}$ | 10 00 12 00 |
| 4 to 5 ft. | 1 75 | 15 00 |
| | 5 | • |

| | Per | 10 | Per | 100 |
|--|-----------------------|---|---|----------------------|
| Cercis canadensis, Judas Tree, Red Bud 1½ to 2 ft. | $\overline{2}$ | 25 75 25 00 | 15 | 00 00 00 |
| 2 to 3 ft | | 25 00 50 | | 00 00 00 |
| 1½ to 2 ft | | $\frac{25}{35}$ | 11 13 | 00 00 |
| 2 to 3 ft | 1 | 00 25 50 | 10 | 00 00 00 |
| Cornus alba (Siberica) Red-stemmed Dogwood 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 5 to 6 ft. heavy | 1 1 | 00 25 35 50 | 10 12 | 00 00 00 00 |
| 2 to 3 ft | | 35 75 | | 00 00 |
| " florida, White flowering Dogwood 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. | 3 4 | 50 50 50 00 | 30 40 | 00 00 00 00 |
| " florida pendula, Weeping white flowering 2 to 3 ft | 5 | $\begin{array}{c} 00 \\ 50 \end{array}$ | od | |
| " florida rubra, Red flowering Dogwood 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. " Mas, Cornelian Cherry | | | | 00 00 00 |
| 2 to 3 ft | | 50 75 | 13 15 | |
| 2 to 3 ft | | 75 | 16 | |
| 3 to 4 ft | | 35 75 | 12 15 | |
| 2 to 3 ft | | 00 | 8 | 00 |
| 1½ to 2 ft | 1 | $\begin{array}{c} 25 \\ 50 \end{array}$ | $\begin{array}{c} 10 \\ 13 \end{array}$ | |
| Corylus avellana, European Hazel 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 7 to 9 ft. heavy | ${\color{red}1 \\ 2}$ | 25 50 00 00 | 12 15 20 | 00 |

| | Per 10 | Per 100 |
|--|--|----------------------|
| Cotoneaster Simonsi 1½ to 2 ft | 1 25 | 10 00 |
| 3 to 4 ft | 1 50 | |
| 4 to 5 ft. heavy | $\begin{array}{cccc} 2 & 50 \\ 3 & 50 \end{array}$ | 20 00 30 00 |
| 5 to 6 ft. heavy | 3 30 | 30 00 |
| 2 to 3 ft | 1 75 | 15 0 0 |
| 3 to 4 ft | 2 25 | 20 00 |
| 4 to 5 ft | 3 00 | |
| 5 to 6 ft | $\frac{4}{5} \frac{00}{00}$ | |
| 7 to 8 ft | | |
| " cordata, Washington Thorn | | |
| 3 to 4 ft | 3 00 | 25 00 |
| 4 to 5 ft | 3 50 | 30 00 |
| 5 to 6 ft | 5 00 6 00 | 40 00 50 00 |
| " crus galli, Cockspur Thorn | 0 00 | 50 00 |
| 2 to 3 ft | 2 50 | 20 00 |
| 3 to 4 ft | 3 00 | 25 00 |
| " Oxycantha, English Hawthorn | - 00 | 0.00 |
| 1½ to 2 ft | $\begin{array}{c} 1 \ 00 \\ 1 \ 25 \end{array}$ | 8 00 10 00 |
| 2 to 3 ft | $\begin{array}{c} 1 & 25 \\ 1 & 50 \end{array}$ | 12 00 |
| 4 to 5 ft | | 18 00 |
| " Oxycantha, double white, Hawthorn | | |
| 3 to 4 ft | 2 50 | |
| " Oxycantha, Paul's double scarlet, Hawtho | | |
| 3 to 4 ft | | |
| Cydonia Japonica (Pyrus Japonica) Japanese (| | 0.00 |
| 1½ to 2 ft | | 8 00 10 00 |
| 2 to 3 it | | 15 00 |
| " Japonica nivalis, pure white | | |
| 1½ to 2 ft | 1 50 | |
| Cytissus, See Laburnum | | |
| Daphne cneorum, See Evergreen shrubs | | |
| " Mezereum rubrum, Pink | | |
| 1½ ft. clumps | 6 50 | |
| Desmodium Japonicum, white | 1 75 | 1 |
| 1½ to 2 ft | | 15 00 |
| " penduliflorum (Lespedeza Sieboldi) Bush | | 10 00 |
| 2 year | 1 35 | 13 00 |
| Deutzia candidissima plena, Double white 2 to 3 ft | 1 00 | 8 00 |
| 3 to 4 ft | 1 25 | |
| " crenata, single white | | |
| 3 to 4 ft | 1 25 | 10 00 |
| " crenata double pink | 1 00 | 8 00 |
| 2 to 3 ft | | 10 00 |
| " crenata double white | ± 20 | |
| 3 to 4 ft | 1 25 | |
| 4 to 5 ft. heavy | | 12 00 |
| | | |

| Deutzia (Cont.) | Per 10 | Per 100 |
|--|---|---|
| " crenata, Pride of Rochester, Double pink | | |
| 2 to 3 ft | 1 00 | 8 00 |
| 3 to 4 ft | $egin{array}{ccc} 1 & 25 \ 1 & 50 \end{array}$ | $egin{array}{ccc} {\bf 10} & {\bf 00} \\ {\bf 12} & {\bf 00} \end{array}$ |
| 4 to 5 ft. heavy 5 to 6 ft. heavy | $\begin{array}{c} 1 & 50 \\ 2 & 00 \end{array}$ | 12 00 |
| 6 to 8 ft. heavy | | |
| " gracilis, Dwarf, Single white | | |
| 1½ ft | 1 35 | 12 00 |
| " gracilis rosea, Dwarf, Single pink | | |
| $1\frac{1}{2}$ to 2 ft | 1 35 | 13 00 |
| " Lemoinei, Dwarf, white | | 10.00 |
| 1½ to 2 ft | 1 25 | 10 00 |
| Diervilla sessilifolia, (lutea) 1½ to 2 ft | 1 25 | 10 00 |
| 2 to 3 ft | | |
| " rosea and varieties, See Weigela | | |
| Eleagnus angustifolia, Russian Olive | | |
| $1\frac{1}{2}$ to 2 ft | | |
| 2 to 3 ft | | |
| 3 to 4 ft | . 1 40 | 10 00 |
| " longipes (edulis) $1\frac{1}{2}$ to 2 ft | . 1 25 | 10 00 |
| 2 to 3 ft | | |
| 3 to 4 ft | | |
| 5 to 6 ft. heavy | . 3 50 | |
| Euonymus alatus, Japanese Strawberry bush | | |
| 2 to 3 ft | | |
| 3 to 4 ft | | |
| 3 to 4 ft. heavy | | |
| The 4 to 5 ft. heavy Euonymus alatus are ve | | |
| 2 year | | 12 00 |
| Exochorda grandiflora, Pearl bush | | |
| 2 to 3 ft | . 1 2 | |
| 3 to 4 ft | 1 78 | |
| 4 to 5 ft. heavy | . 350 | 30 00 |
| Forsythea Fortunei, Golden Bell 2 to 3 ft | . 1 00 | 8 00 |
| 3 to 4 ft | | |
| " intermedia, Golden Bell | | |
| 2 to 3 ft | . 100 | 0 8 00 |
| " suspensa, Weeping Golden Bell | . 1 2 | 5 12 00 |
| 2 to 3 ft | . 1 4 | 5 12 00 |
| 2 to 3 ft | . 10 | 0 8 00 |
| 3 to 4 ft | . 12 | |
| 4 to 5 ft | | |
| 5 to 6 ft. heavy | . 25 | U |
| Halesia tetraptera, (Monrodendron) Silver B 3 to 4 ft. | ен . 22 | 5 20 00 |
| Hamamelis Virginiana, Wych-hazel | | |
| 1½ to 2 ft | . 12 | 5 10 00 |
| 2 to 3 ft | . 15 | |
| 3 to 4 ft | . 17 | 5 15 00 |
| Hibiscus, See Althaea | Tron 1 | looming |
| Hydrangea arborescens grandiflora, American 2 to 3 ft. | 1 Ever-1 | 5 20 00 |
| 4 tu 9 It | | |

| Hydrangea (Cont.) " naniculata (typo) Single | Per | LO | Per 100 |
|---|------|------------|---------|
| painculata (type) Single | _ | 0.5 | 40.00 |
| | | 25 | 12 00 |
| 3 to 4 ft | 1 | 75 | 15 00 |
| paniculata granumora | | ٥- | 10.00 |
| | _ | 25 | 10 00 |
| 3 to 4 ft | 1 | 75 | 15 00 |
| radiata (ilivea) | 4 | -0 | 10.00 |
| 2 to 3 ft | | 50 | 12 00 |
| 3 to 4 ft | 1 | 75 | |
| Hypericum aureum, St. John's Wort | | | |
| 18 to 24 in | 1 | 25 | 10 00 |
| " densiflorum | | | |
| 1 to 1½ ft | 1 | 00 | 9 00 |
| " Moserianum, Gold flower | | | |
| 2 year | . 25 | 12 | 2 00 |
| llex verticillata (Prinos) Winter berry | 4 | 75 | 15 00 |
| 1½ to 2 ft | | 75 | 15 00 |
| 2 to 3 ft | Z . | 00 | |
| Itea Virginica, Virginian Willow 1½ to 2 ft | 4 | E 0 | 10.00 |
| | | 50 | 12 00 |
| 2 to 2½ ft | . 1 | 75 | 15 00 |
| Kerria Japonica Single (Corchorus) | -1 | 25 | 10.00 |
| 1½ to 2 ft | . т | 49 | 10 00 |
| Japonica Double | _ | ~ = | 40.00 |
| 2 to 3 ft | . 1 | 25 | 12 00 |
| " Japonica variegata | 4 | n= | 15 00 |
| 12 to 15 in. bushy | , т | 75 | 15 00 |
| Laburnum vulgare (Cytissus) Golden Chain 2 to 3 ft | 9 | 00 | |
| 5 to 6 ft | | 00 | |
| 6 to 8 ft | _ | 50 | |
| Larus Benzoin, See Lindera | | | |
| Lespedeza bicolor, Bush Clover | | | |
| 2 to 3 ft | . 1 | 50 | 12 00 |
| Ligustrum Amurense North, Hardy Amoor Pr | | | |
| 1½ to 2 ft\$ 75.00 per 100 |) 1 | 00 | 8 00 |
| 3 to 4 ft. heavy . 100.00 per 100 |) 1 | 25 | 12 00 |
| 4 to 5 ft. heavy . 125.00 per 100 | | 75 | 15 00 |
| 5 to 6 ft. heavy | . 2 | 50 | 20 00 |
| These 3 to 4 ft., 4 to 5 ft., and 5 to 6 | | | |
| North, Privet are very heavy, bushy, transpla | nted | pla | ints. |
| " Amurense, Southern Amoor Privet | | | |
| 18 to 24 in | | 85 | 6 00 |
| 2 to 3 ft | . 1 | 00 | 7 00 |
| ibota, As commonly sold, not upright | 1 | 85 | 6 00 |
| 1½ to 2 ft\$ 50.00 per 100 2 to 3 ft 70.00 per 100 | | 00 | 8 00 |
| 3 to 4 ft 120.00 per 100 | | 50 | 13 00 |
| " ibota Regelianum, Regel's Privet | _ | | |
| 1½ to 2 ft | . 1 | 25 | 10 00 |
| 2 to 3 ft | . 1 | 50 | 12 00 |
| 3 to 4 ft | . 1 | 75 | 15 00 |
| | | | |

| Ligustrum (Cont.) | Per 10 | Per 100 |
|--|-------------|---------------|
| " ovalifolium, California Privet | | |
| 1½ to 2 ft\$15.00 per 1000 | 25 | 2 00 |
| 2 to 3 ft 25.00 per 1000 | | 3 00 |
| 3 to 4 ft 30.00 per 1000 | | 3 50 |
| $1\frac{1}{2}$ to 2 ft. heavy trans | . 100 | 5 00 |
| 2 to 3 ft. heavy trans | . 1 25 | 6 00 |
| 3 to 4 ft. heavy trans | . 1 35 | 8 00 |
| 4 to 5 ft. heavy trans | . 1 50 | 10 00 |
| 5 to 6 ft. heavy trans | . 2 00 | 12 00 |
| The California Privet, marked "heavy" a | re very | bush y |
| transplanted plants. They will make a sol | id hedge | imme- |
| diately. | | |
| " ovalifolium aureum, Golden-leaved Prive | ŧ | |
| 2 to 3 ft | | 25 00 |
| " vulgare Common Privet | | |
| 2 to 3 ft | . 85 | 7 00 |
| Lindera Benzoin, (Benzoin odoriferum) Spice | | |
| 2 to 3 ft | . 1 75 | 17 00 |
| 3 to 4 ft | | 20 00 |
| Lonicera bella albida, Bush Honeysuckle | | |
| 3 to 4 ft | . 1 35 | 12 00 |
| 5 to 6 ft. heavy | | |
| " bella candida, Bush Honeysuckle | | |
| 4 to 5 ft. heavy | . 1 75 | 15 00 |
| " fragrantissima | | 10 00 |
| 2 to 3 ft | . 1 50 | 13 00 |
| " glauca (dioica) | | 20 00 |
| 1½ to 2 ft | . 1 25 | |
| 2 to 3 ft | | |
| " Ledebouri | . 100 | • |
| 2 to 3 ft | . 1 25 | 10 00 |
| " Morrowi | . 1 20 | 10 00 |
| 2 to 3 ft | . 1 00 | 8 00 |
| 3 to 4 ft | | 10 00 |
| " Ruprechtiana | | 10 00 |
| 2 to 3 ft | . 1 00 | 9 00 |
| 3 to 4 ft | | 10 00 |
| 4 to 5 ft. heavy | | 15 00 |
| | | _ |
| The Ruprechtiana produces more berries | шап ап | ry other |
| variety. It is the best sort for this purpose. | | |
| " Tatrica alba, White Bush Honeysuckle | 4 00 | 0 00 |
| 2 to 3 ft | 4 05 | 9 00 |
| 3 to 4 ft | . 1 25 | 10 00 |
| " Tatarica rubra, Red Bush Honeysuckle | 1 00 | 0 00 |
| 2 to 3 ft | | 9 00 |
| 3 to 4 ft | . 1 25 | 10 00 |
| " Tatarica grandiflora rosea, Pink | # 00 | 0.00 |
| 2 to 3 ft | | 9 00 |
| 3 to 4 ft | | |
| 4 to 5 ft. heavy | . 1 75 | 15 00 |
| " Tatarica splendens | 1 05 | 10.00 |
| 2 to 3 ft | . 1 25 | 10 00 |
| " Xylosteum, Fly Honeysuckle | 4 05 | |
| 2 to 3 ft | . 1 25 | |
| 4 to 5 ft. heavy | . 1 75 | |
| Mohrodendron, See Halesia | | |
| Myrica cerifera, Wax Myrtle 12 to 15 in | 4 75 | 15 00 |
| 12 to 15 in | . 1 75 | |
| 1½ to 2 ft | . 2 00 | ∆ ∪ ∪∪ |
| | | - |

| | Per 1 | 0 Per 100 | 0 |
|--|--------|---|-----|
| Opulaster, See Spiraea opulifolia Oxydendron arboreum (Andromeda) Sorrel-tre | ee | ٩ | |
| 3 ft | 3 | 50 | |
| 4 to 6 ft | 1 ' | 75 | |
| 4 to 5 ft | | | |
| 6 to 8 ft " Double white flowering Peach | 2 | 50 | |
| 4 to 5 ft | _ | | |
| Philadelphus coronarius, Sweet flowered Mock | | | |
| 2 to 3 ft | | | 0 |
| 3 to 4 ft | 1 | | 0 |
| 4 to 5 ft | 1 | | |
| 5 to 6 ft. heavy | | | 0 |
| " coronarius aureus, Golden-leaved Mock C | | | ^ |
| 15 to 18 in. bushy | | | |
| 1½ to 2 ft | | 90 19 0 | U |
| 3 to 4 ft | 1 | 25 10 0 | 0 |
| " coronarius grandiflorus, Large flowered I | Iock (| Orange | |
| 2 to 3 ft | . 1 | 00 8 0 | |
| 3 to 4 ft | | | |
| 4 to 5 ft | | | |
| 5 to 6 ft. heavy " coronarius Mont Blanc (new) | . 4 | 50 Z0 0 | U |
| 18 to 24 in | . 1 | 25 | |
| " coronarius nanus, Dwarf Mock Orange | _ | | |
| 1½ to 2 ft | . 1 | 00 8 0 | 0 |
| " Lemoinei | - | 00 0 0 | Δ |
| 1½ to 2 ft | | $\begin{array}{cccc} 00 & 8 & 0 \\ 25 & 10 & 0 \end{array}$ | |
| " Lemoinei erectus | | 20 10 0 | U |
| 1½ to 2 ft | . 1 | 00 8 0 | 0 |
| 2 to 3 ft | . 1 | 25 10 0 | |
| 3 to 4 ft | . 1 | 35 	 12 	 0 | 0 |
| Physocarpus, See Spiraea opulifolia | | | |
| Potentilla fruticosa, Cinquefoil | - | 00 00 | Δ. |
| 1 to 1½ ft | . 1 | 00 9 0 | U |
| Prunus Japonica, See Amygdalus nana | | | |
| " Persica, Flowering Peaches, See Persica | | | |
| " Pissardi, Purple-leaved Plum | | | |
| 3 to 4 ft | | 75 15 0 | 0 |
| 4 to 5 ft | . z | 00 | |
| 2 to 3 ft. | . 2 | 00 18 0 | 0 |
| Ptelea trifoliata, Hop Tree | | | |
| 3 to 4 ft | | 00 8 0 | |
| 4 to 5 ft | . 1 | 25 10 0 | 10 |
| Pterostyrax hispida, 4 to 5 ft | 3 | 50 | |
| Pyrus Japonica, See Cydonia | | | |
| Pyrus arbutifolia and melanocarpa, See Aroni | a | | |
| Pyrus Bechtel's and other varieties, See Malu | s, tre | e section | |
| Rhamnus catharticus, Buckthorn 1½ to 2 ft | | 75 5 0 | n |
| 172 10 2 10. | • | .0 00 | , 0 |

| Rhamnus (Cont.) | Per 10 | Per 100 |
|--|--------|--------------|
| " frangula | | |
| . 1½ to 2 ft | 1 00 | 8 00 |
| 2 to 2½ ft | | 10 00 |
| 3 to 4 ft | 1 50 | |
| 2 to 3 ft | 1 25 | 10 00 |
| 3 to 4 ft | | 12 00 |
| Rhus aromatica (canadensis) | 1 00 | 12 00 |
| 1½ to 2 ft | 2 25 | 20 00 |
| 3 to 4 ft | | 30 00 |
| " copallina, Shining Sumach | 3 30 | 30 00 |
| 2 to 3 ft | 1 75 | 15 00 |
| 4 to 5 ft | | |
| 5 to 6 ft | | |
| " Cotinus, Mist, Smoke bush | | |
| 1½ to 2 ft | . 1 00 | 9 00 |
| 2 to 3 ft | . 1 25 | 10 00 |
| 3 to 4 ft | | 12 00 |
| " glabra, Smooth Sumach | | |
| 1½ to 2 ft | . 75 | 6 00 |
| 2 to 3 ft | . 1 00 | 8 00 |
| 3 to 4 ft | . 1 25 | 10 00 |
| 4 to 6 ft | . 135 | $12\ 00$ |
| 6 to 8 ft | . 175 | 15 00 |
| " glabra laciniata, Cut-leaved Sumach | | |
| 1½ ft | | $12\ 00$ |
| 1½ to 2 ft | | |
| 2 to 2½ ft | . 2 50 | |
| " semialata, Osbeckii, Japanese Sumach | | |
| 2 to 3 ft | | |
| 3 to 4 ft | . 4 00 | |
| " typhina, Staghorn Sumach | 4 00 | 0.00 |
| 2 to 3 ft | | 8 00 |
| 3 to 4 ft | . 1 25 | 10 00 |
| " typhina laciniata, Cut-leaved | 1 95 | 19 00 |
| 2 to 3 ft | . 1 35 | $12\ 00$ |
| Ribes alpinum | . 1 25 | 10 00 |
| 1 to 1½ ft Currant | . 1 25 | 10 00 |
| aulculli, i clion mibbouri currant | . 1 25 | 10 00 |
| 2 to 3 ft | 1 35 | 12 00 |
| " floridum, Black Missouri Currant | 1 00 | 12 00 |
| 3 to 4 ft | . 1 35 | 12 00 |
| Robinia hispida rosea, Rose acacia | 00 | |
| 1½ to 2 ft. bush form | . 1 25 | |
| 3 to 4 ft. bush form | . 2 00 | |
| 4 to 5 ft. bush form | | |
| Rosa hlanda (Virginiana) | | |
| 1 to 1½ ft | . 1 25 | 10 00 |
| 1½ to 2 ft | . 1 35 | 11 00 |
| " Carolina | | |
| 1½ to 2 ft | | 10 00 |
| 3 to 4 ft | . 1 35 | 12 00 |
| " humilis | 4 6= | 10.00 |
| 1½ to 2 ft | 1 35 | 12 00 |
| " lucida | 1 05 | 10 00 |
| 1½ to 2 ft | 1 35 | 12 00 |
| " multiflora Japonica 1½ to 2 ft | . 1 00 | 9 00 |
| 2,2 1 0 01 | | |
| 2 to 3 ft | 1 20 | _5 00 |

| Rosa | (Cont.) , nitida | Per 10 | Per 100 |
|------|--------------------------------------|-------------|--------------|
| | 1½ to 2 ft | 1 25 | 10 00 |
| " | rubiginosa, Sweet Brier, Eglantine | | |
| | 2 to 3 ft | 1 25 | $10 \ 00$ |
| | 3 to 4 ft | 1 35 | $12\ 00$ |
| 44 | rubrifolia (ferruginea) | | |
| | 1½ to 2 ft | 1 25 | 10 00 |
| | 2 to 3 ft | 1 35 | $12\ 00$ |
| 44 | rugosa rubra, Japanese Rose, Red | | - |
| | 1 to 1½ ft | 1 00 | 8 00 |
| | $1\frac{1}{2}$ to 2 ft | 1 25 | 9 00 |
| 44 | rugosa alba, Japanese rose, White | | |
| | 1 to 1½ ft | 1 00 | 9 00 |
| | 1½ to 2 ft | 1 25 | 10 00 |
| | 2 to 2½ ft | 1 35 | $12 \ 00$ |
| 66 | rugosa Md. Geo. Bruant, double white | | |
| | 2 year | 1 50 | |
| " | setigera, Prairie Rose | | |
| | 1½ to 2 ft | 1 00 | 8 00 |
| | 3 to 4 ft | 1 50 | $12 \ 00$ |
| | 4 to 5 ft. heavy | | 15 00 |
| 44 | Wichuraiana, Memorial Rose | | |
| | 2 year | . 1 00 | 9 00 |

Climbing and Pillar Roses

| Б | Alberta Deubies Comi Jewble White and her | cc | | _ | |
|------|---|----------|------------|----|----|
| Rose | Alberic Barbier, Semi-double, White and bu | | | e | |
| | 5 inch pots | z | 00 | 20 | 00 |
| " | American Pillar, Single, Rosy pink | _ | | | |
| | 5 inch pots | _ | 00 | 20 | |
| | 6 inch pots | 2 | 50 | 25 | 00 |
| 44 | Baltimore Belle, Double White | | | | |
| | 5 inch pots | 2 | 00 | 20 | 00 |
| | 6 inch pots | 2 | 50 | | |
| 44 | Crimson Rambler, Double, Crimson | | | | |
| | 2 to 3 ft. strong | 1 | 25 | 12 | 00 |
| 44 | Dawson, Double, Pink | | | | |
| | 5 inch pots | 2 | 00 | 20 | 00 |
| " | Dorothy Perkins, Double, Pink | | | | |
| | 2 to 3 ft | 1 | 25 | 12 | 00 |
| | 5 inch pots | 2 | 00 | 20 | 00 |
| | 6 inch pots | 2 | 50 | 25 | 00 |
| 44 | Edgar Andreu, New, Double, Blood-red | | | | |
| | 5 inch pots | 2 | 50 | 25 | 00 |
| 44 | Evergreen Gem, Double, White, buff in bu | ıd | | | |
| | 2 to 3 ft | | 25 | 12 | 00 |
| | 5 inch pots | _ | 00 | | 00 |
| 66 | Excelsa, Double, Crimson-maroon | _ | 00 | | 00 |
| | 2 to 3 ft | 1 | 7 5 | 15 | 00 |
| | 5 inch pots | | 50 | | 00 |
| " | Jersey Beauty, Single, Buff, yellow stamens | _ | 30 | 20 | UU |
| | 2 to 3 ft | | 25 | 12 | 00 |
| - | 5 inch pots | | 00 | | 00 |
| 44 | 5 Inch pots | 2 | 00 | 20 | UU |
| •• | Lady Gay, Double, Clear Pink | -1 | 25 | 10 | 00 |
| | 2 to 3 ft | _ | 00 | | 00 |
| | 5 inch pots | _ | | | |
| | 6 inch pots | 2 | 50 | 25 | 00 |

| Rosa (Cont.) | Per 1 | .0 | Per | 100 |
|---|---------------|----------------|------|-----|
| " Manda's Triumph, Double, White | 1 | 25 | 12 | 00 |
| 2 to 3 ft. strong | $\frac{1}{2}$ | 20 00 | 20 | |
| | 2 | UU | 20 | UU |
| " Prairie Queen, Double, Plink | • | | 0.0 | |
| 5 inch pots | z | 00 | 20 | 00 |
| " Rene Andre, Semi-double, Carmine | | | | |
| 6 inch pots | 2 | 50 | 25 | 00 |
| " Silver Moon, New, Single, Extra Large, | Whit | e | | |
| 5 inch pots | | 50 | 35 | 00 |
| " South Orange Perfection, Double, White | Ū | • • | • | •• |
| | - | 0.5 | 10 | ۸۸ |
| 2 to 3 ft | 1 | 25 | 12 | UU |
| Oliveisal Lavolite, Double, Itose | 4 | 0= | 40 | 00 |
| 2 to 3 ft | _ | $\frac{25}{2}$ | 12 | |
| 5 inch pots | | 00 | | 00 |
| 6 inch pots | 2 | 50 | 25 | 00 |
| " White Dorothy Perkins, Double, White | _ | | | |
| 5 inch pots | | 00 | | 00 |
| 6 inch pots | . 2 | 50 | 25 | 00 |
| " White Rambler, Double, White | | | | |
| 5 inch pots | | 00 | | 00 |
| 6 inch pots | 2 | 50 | 25 | 00 |
| " Yellow Rambler, Double, Pale Yellow | | | | |
| 5 inch pots | 2 | 00 | 20 | 00 |
| Rubus Canadensis rosea | | | | |
| 18 to 24 in | . 1 | 25 | 10 | 00 |
| " odoratus | | | | |
| 4 to 5 ft | 1 | 75 | 15 | 00 |
| Sambucus Canadensis, Elderberry | | | | |
| 2 to 3 ft | . 1 | 00 | 8 | 00 |
| " nigra aurea, Golden Elderberry | _ | • • | | • • |
| 2 to 3 ft | 1 | 25 | 10 | 00 |
| " nigra laciniata, Cut-leaved Elderberry | _ | | | • • |
| 2 to 3 ft | 1 | 25 | 10 | 00 |
| 3 to 4 ft | | 35 | | 00 |
| " recemosa, Red-berried Elderberry | | 00 | | 00 |
| 2 to 3 ft | 1 | 35 | 12 | 00 |
| Sorbaria sorbifolia, see Spiraea sorbifolia | | 00 | | 00 |
| Spiraea Anthony Waterer, Pink, Dwarf | | | | |
| 12 to 15 in. bushy | т. | 25 | 10 | 00 |
| " arguta White | | 20 | 10 | 00 |
| arguta, white | 1 | 25 | 10 | 00 |
| | | 35 | | 00 |
| 2 to 3 ft | | 50 | | 00 |
| 3 to 3½ ft | , т | 90 | 19 | UU |
| billardi, rink | 1 | 00 | 0 | 00 |
| 2 to 3 ft | | | | |
| 3 to 4 ft | | 25 | | 00 |
| 4 to 5 ft | | 35 | | 00 |
| 5 to 6 ft. heavy | . 2 | 00 | 18 | 00 |
| callosa alba, Dwall, white | | 05 | 4.0 | 00 |
| 1½ to 2 ft | | | | 00 |
| 2 to 2½ ft | . 1 | 35 | 12 | 00 |
| " callosa rosea, (Japonica) Pink | | | | |
| 3 to 4 ft | . 1 | 25 | 10 | 00 |
| " callosa rubra, Dwarf Pink | | | | |
| 12 to 15 in | . 1 | 35 | 12 | 00 |
| This is a new dwarf Spiraea of the callo | | e. | It 1 | nas |

This is a new, dwarf Spiraea of the callosa type. It has the same habit of growth as the Anthony Waterer, but the flowers are a little darker pink.

| Spiraea (Cont.) | Per 10 | Per 100 |
|---|--------------|--------------|
| " Douglasi rosea, Pink 1½ to 2 ft | 85 | 7 00 |
| 2 to 3 ft | 1 00 | 8 00 |
| 3 to 4 ft | 1 25 | |
| " opulifolia (Physocarpus, Opulaster) Nin | | 10 00 |
| 2 to 3 ft | 1 00 | 8 00 |
| 3 to 4 ft. | 1 25 | |
| 4 to 5 ft | 1 35 | |
| " opulifolia aurea, Golden leaved | _ 00 | 00 |
| 2 to 3 ft | 1 00 | 8 00 |
| 3 to 4 ft | 1 25 | |
| " prunifolia fl. pl. Bridal Wreath | | 20 00 |
| 2 to 3 ft | 1 35 | 12 00 |
| 3 to 4 ft | 1 75 | |
| " Reevesiana, single (Cantoniensis) White | | 10 00 |
| 2 to 3 ft | | 10.00 |
| | 1 25 1 35 | |
| .3 to 4 ft | | 12 00 |
| 4 to 5 ft. heavy | 2 00 | |
| Recvesiana ii. pi. (Cantoniensis) Double | | 10.00 |
| 1½ to 2 ft | 1 25 | |
| 2 to 3 ft | 1 35 | |
| 3 to 4 ft | 1 75 | |
| 4 to 5 ft. heavy | 2 50 | 20 00 |
| " sorbifolia, (Sorbaria) | | |
| 1½ to 2 ft | 1 25 | 10 00 |
| " Thunbergii, White | | |
| 1½ to 2 ft | 1 25 | 10 00 |
| 2 to 2½ ft | 1 35 | 12 00 |
| " Van Houttei, Single white | | |
| $1\frac{1}{2}$ to 2 ft | 85 | 6 00 |
| 2 to 3 ft | 1 00 | 8 00 |
| 3 to 4 ft | 1 25 | 10 00 |
| Staphyllea trifoliata | | |
| 4 to 5 ft | 3 50 | |
| Stephanandra flexuosa, White | | |
| 2 to 3 ft | 1 35 | 12 00 |
| 3 to 4 ft | 1 50 | |
| Styrax Japonica | | 25 00 |
| 3 to 4 ft | 3 00 | 25 00 |
| 4 to 5 ft | | |
| 5 to 6 ft | | |
| 6 to 8 ft | | |
| 8 to 10 ft | 10 00 | |
| Symphoricarpos racemosus, White Snowberry | | |
| 2 to 3 ft | 1 25 | |
| 3 to 4 ft | 1 35 | |
| 4 to 5 ft, heavy | | |
| " vulgaris, Indian Currant, Coral Berry | | 10 00 |
| 1½ to 2 ft | 85 | 6 00 |
| 2 to 3 ft | 1 00 | |
| | 1 00 | 0 00 |
| Syringa Japonica, Japanese Tree Lilac | 4 65 | 15.00 |
| 2 to 3 ft | 1 75 | |
| 3 to 4 ft | 2 00 | ' |
| oosikaca, Eliao parpie, Eate | 9 50 | |
| 3 to 4 ft | 3 50 | ' |
| | 1 75 | 17.00 |
| 2 to 3 ft | 1 75 | 17 00 |

| | Per 10 | Per 100 |
|--|--|---------|
| " Rothomagensis, (Chinensis) Red Persian | | |
| 2 to 3 ft | $1\ \ 25$ | 12 00 |
| 3 to 4 ft | 1 75 | 15 00 |
| 4 to 5 ft | 2 50 | 20 00 |
| " vulgaris, Common purple Lilac | | |
| 2 to 3 ft | 1 25 | 10 00 |
| 3 to 4 ft | 1 75 | 15 00 |
| " vulgaris alba, Common white Lilac | 1 .0 | 10 00 |
| 2 to 3 ft. | 1 35 | 12 00 |
| 3 to 4 ft | 1 75 | 15 00 |
| 4 to 5 ft | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 20 00 |
| 4 to 5 it. | 2 50 | 20 00 |
| Choice Named Lilacs—Single and | d Do | uble |
| | | |
| Alphonse Lavalle, Blue, Double, Large panicles | | |
| 2 to 3 ft | 3 00 | |
| 3 to 4 ft | 3 50 | |
| Belle de Nancy, Satiny rose, Double, very large | 0 50 | |
| 3 to 4 ft | 3 50 | |
| Charles X. Reddish purple, Single, Large | | |
| 3 to 4 ft | 3 50 | |
| Congo, Red, Single, Very large | | |
| 3 to 4 ft | 3 50 | |
| Dr. Masters, Clear lilac, Double, Superb | | |
| 2 to 3 ft | 3 00 | |
| 3 to 4 ft | 3 50 | |
| Ludwig Spaeth, Purplish red, Single, Large | | |
| 2 to 3 ft | 3 00 | |
| 3 to 4 ft | 3 50 | |
| Mme. Abel Chatney, White, Double, Very fine | | 1 |
| 2 to 3 ft | 3 00 | |
| 3 to 4 ft | 3 50 | |
| Mme. Casimir Perier, Creamy White, Double, | _ | |
| | 350 | |
| 3 to 4 ft | 5 50 | |
| Marie Legraye, White, Single, Large panicles | 9 00 | |
| 2 to 3 ft | 3 00 | - 1 |
| President Grevy, Blue, Double, Very Large | 0 00 | |
| 2 to 3 ft | 3 00 | |
| 3 to 4 ft | 3 50 | |
| President Viger, Bluish lilac, Double, Extra fin | е | • |
| 2 to 3 ft | 3 00 | |
| 3 to 4 ft | 3 50 | |
| Princess Alexandra, White, Single, Large | | |
| 2 to 3 ft | 3 00 | |
| 3 to 4 ft | 350 | |
| Senator Volland, Bright rosy red, Double | | , |
| 3 to 4 ft | 350 | |
| " Volcan, Single. Large Ruby red | | |
| 2 to 3 ft | 3 00 | |
| 3 to 4 ft | 3 50 | |
| Tamarix Africana (parviflora) | | • |
| 2 to 3 ft | 1 00 | 8 00 |
| 3 to 4 ft | 1 25 | 10 00 |
| 4 to 5 ft | 1 35 | 12 00 |
| " Gallica | | |
| 2 to 3 ft | 1 00 | 8 00 |
| 3 to 4 ft | $\overline{1}$ $\overline{25}$ | 10 00 |
| 4 to 5 ft | $\frac{1}{1} \frac{25}{35}$ | 12 00 |
| I 10 0 10 | _ 00 | |

| Tamarix (Cont.) " Gallica indica | Per 10 | Per 100 |
|---|----------------------------|--------------------|
| 1½ to 2 ft. 2 to 3 ft. 5 to 6 ft. | 1 25 | |
| " hispida aestivalis 1½ to 2 ft. 2 to 3 ft. 4 to 5 ft. " Japonica plumosa | 1 25 | |
| " Japonica plumosa 18 to 24 in. 3 to 4 ft. 4 to 5 ft. | . 1 25 | 10 00 |
| " Odessana . 4 to 5 ft | . 1 35 | ; |
| Viburnum dentatum, Arrow-wood 2 to 3 ft | | |
| " dentatum Molle 2 to 3 ft | | |
| " Lantana, Hobble bush, Wayfaring tree 2 to 3 ft | . 1 35 | 5 12 00 |
| " nudum cassinoides 2 to 3 ft | . 2 25 | 5 20 00 |
| " Opulus sterile, Common Snowball | | |
| 2 to 3 ft | . 1 50 | 12 00 |
| " Opulus nanum, Dwarf 6 to 9 in | . 1 35 | 5 12 00 |
| 1½ to 2 ft | . 1 00 . 1 25 . 1 35 | 5 10 00 5 12 00 |
| " plicatum, Japanese Snowball 1½ to 2 ft | . 1 78 | 5 15 00 |
| " plicatum rotundifolium 4 to 5 ft. heavy | 2 00 | 20 00 |
| " tomentosum 2 to 3 ft | . 2 00 | 20 0 |
| 2 to 3 ft | | |
| " Agnus-castus alba, White 2 to 3 ft | _ | |
| Weigela amabilis, Pink 3 to 4 ft. | | |
| " arborea versicolor, Light pink 3 to 4 ft | | 0 12 0 |

| 32 I nomas Meenan & So | ns | | | |
|--|---|--------|-------|------|
| Weigela (Cont.) | P | er 10 | Per 1 | 100 |
| " candida, White | | | | |
| 2 to 3 ft | | 1 35 | 12 | 00 |
| 3 to 4 ft | | 1 75 | 15 | 00 |
| 5 to 6 ft. heavy | | 250 | | |
| " Eva Rathke, Crimson | | | | |
| 2 to 3 ft | | 1 75 | 15 | 00 |
| 3 to 4 ft | | 2 00 | | 00 |
| | • • • • • | 2 00 | 20 | v |
| nana vantegata, vantegateu-leaveu | | 1 05 | 4.0 | 00 |
| 1½ to 2 ft | • | 1 35 | 12 | 00 |
| rosea, rink | | 4 05 | | • |
| 2 to 3 ft | | 1 35 | | 00 |
| 3 to 4 ft | • • • • | 1 75 | 15 | 00 |
| " Stelznerii, Pink | | | | |
| 2 to 3 ft | | 1 35 | 12 | 00 |
| " Van Houttei, Light Pink | | | | |
| 2 to 3 ft | | 1 35 | 12 | 60 |
| Yucca filamentosa, Adam's Needle | | | | |
| 3 year | | 1 25 | | 00 |
| 4 year | | 1 35 | | 00 |
| 5 year | | 1 75 | 15 | 00 |
| | | | | |
| | | | | |
| Vines and Clin | L - | | | |
| vines and Cili | mpe | ers | | |
| | | | | |
| Akebia quinata | | 4 05 | 10 | ^^ |
| 2 year | | 1 25 | 12 | 00 |
| Amelopsis quinquefolia (Virginica) Virg | | | _ | |
| 2 year | | 85 | | 00 |
| 3 year | • • • • • | 1 00 | _ | 00 |
| 6 inc pots | | 2 00 | 20 | 00 |
| " quinquefolia Englemanni | | | | |
| 2 year | | 1 00 | 8 | 00 |
| 3 year | | 1 25 | 10 | 00 |
| " Veitchi (tricuspidata) Japanese or | Bostor | | | |
| 3 year | | 1 00 | 9 | 00 |
| 5 inch pots | | 2 00 | | 00 |
| Aristolochia Sipho, Dutchman's Pipe | | • • | | |
| 2 year | | 2 00 | | |
| Bignonia radicans (Tecoma) Trumpet V | 7ine. Or | 'a:ายค | | |
| 2 year | | 1 00 | 8 | 00 |
| 5 inch pots | | 2 00 | | 00 |
| " radicans aurea, Yellow | | _ 00 | | , , |
| 5 inch pots | | 2 00 | 20 | 00 |
| " radicans grandiflora, Yellow | | 2 00 | | , , |
| 2 year | | 1 25 | 19 | 00 |
| 5 inch pets | | 2 00 | | 00 |
| Celastrus scandens, Bittersweet | | 2 00 | | |
| | | 1 00 | | 00 |
| 2 year | | 2 00 | | 00 |
| 5 inch pots | | 2 00 | 20 | , 00 |
| . Ol blodiatas | | 1 25 | 10 | 00 |
| The state of the s | • • • • • • | 1 20 | 10 | , 00 |
| " punctatus | | 1 05 | | |
| 3 year | • • • • • | 1 25 | 10 | 00 |
| Clematis paniculata, White | | 1 00 | | |
| 2 year | • • • • • | 1 00 | , 9 | 00 |
| " Virginiana, Virgin's Bower | | 1 05 | | |
| 3 year heavy | • • • • • | 1 25 | 10 | 00 |
| | | | | |

| The second secon | | | | |
|--|------------|------------------|-------|----------------|
| Dolichos Japonica, (Pueraria) Kudzu Vine | Per | 10 | Per 1 | L00 |
| 3 inch pots | 1 | 50 | 12 | 00 |
| Euonymus radicans 6 to 10 in. 1 to 1½ ft. 5 inch pots | 1 | $00 \\ 25 \\ 00$ | 10 | 00 00 00 |
| " radicans variegata | | | | |
| 5 inch pots | 2 | 00 | 20 | 00 |
| Hedera Helix, English Ivy 5 inch pots | 2 | 00 | 20 | 00 |
| Humulus Lupulus, Hop-vine | | | | |
| 3 year 5 inch pots | 2 | 85 00 | 6 | 00 |
| Jasminum nudiflorum, Yellow Jasmine 5 inch pots | 2 | 00 | 20 | 00 |
| " officinale, White Jasmine | | | | |
| 6 inch pots | 2 | 00 | 20 | 00 |
| Lonicera Belgica 2 year 5 inch pots | | 25 00 | 10 | 00 |
| " brachypoda aurea, Golden-leaved Honeys | | | 0 | 00 |
| 2 year 5 inch pots | | 00 | | 00 |
| " Halleana, Hall's Honeysuckle | | 00 | 0 | 00 |
| 2 year | Т | 00 | 8 | 00 |
| 2 year 5 inch pots | . 1 2 | 00 00 | | 00 00 |
| Lycium chinensis, Matrimony Vine 2 to 3 ft | | 00 | 8 | 00 |
| Menispermum canadense, Moon-seed | _ | 00 | Ü | 00 |
| 3 to 4 ft | . 1 | 75 | 15 | 00 |
| Periwinkle, see Vinca Minor Pueraria Thunbergiana, see Dolichos | | | | |
| Roses, Climbing, Creeping and Pillar, see shi | ubs | | | |
| Tecoma, see Bignonia radicans | | | | |
| Vinca minor, Periwinkle, Myrtle 3 inch pots | | 75 | 6 | 00 |
| Vitis cordifolia, Chicken grape | | | Ū | |
| 5 inch pots | , <u>Z</u> | 00 | | |
| 2 year | | 00 | _ | 00 |
| 5 inch pots | . 4 | 0 0 | 20 | 00 |
| 18 to 24 in | - | 50 00 | | 00 |
| " Chinensis alba, Chinese White Wistaria | 0 | 00 | | |
| 18 to 24 in | | 00 | | |
| " multijuga, Japanese blue Wistaria 3 year strong | _ | 00 | | |
| 5 inch pots | . 3 | 50 | | |

Evergreen Shrubs

| | Per 10 | Per 100 |
|---|--|------------------------------------|
| Aucuba Japonica aurea 2½ to 3 ft. bushy | . 750 | 0 |
| Azalea amoena Hinodegiri, Japanese evergree 10 to 12 in. clumps | | |
| " Kaempferi, Salmon pink 18 to 24 in | . 10 00 | 0 |
| Berberis aquifolia, See Mahonia | | |
| Berberis ilicifolia, Holly-leaved Barberry 1½ to 2 ft | | |
| " Sieboldi 2 to 3 ft. heavy | . 2 50 | - |
| Buxus arborescens, Bush form 10 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 20 in. 2 to 2½ ft. 3 ft. 3½ ft. 4 ft. | . 2 00 . 2 50 . 3 00 . 8 50 . 40 00 . 45 00 | 18 00 0 22 00 0 25 00 0 0 |
| " arborescens, Pyramids 2 to $2\frac{1}{2}$ ft. 5 to $5\frac{1}{2}$ ft. | | |
| " sempervirens 8 to 10 in. 15 to 18 in. 18 to 20 in. | . 2 50 | 22 00 |
| " suffruticosa, Dwarf Box Edging 4 to 6 in | | |
| All of our Box bushes and Box edging are a Not freshly imported stock. | cclimate | ed plants. |
| Crataegus pyracantha Lalandi, Evergreen Th $1\frac{1}{2}$ to 2 ft | . 3 50 | |
| Cryptomeria Lobbi compacta 1½ to 2 ft. 3½ to 4 ft | | |

| Danker and Dink | Per 10 | | Per 100 | | |
|--|--------|----------------|---------|------------|--|
| Daphne cneorum, Pink 10 to 12 in. clumps | 5 | 00 | | | |
| " cneorum maximum, Pink 12 to 15 in. clumps | 6 | 50 | | | |
| Erica stricta, Heath 12 to 15 in. from 5 inch pots | 2 | 50 | 25 | 00 | |
| " vagans capitata, Heath 12 to 15 in. from 5 inch pots | 2 | 50 | 25 | 00 | |
| llex crerata, Japanese Holly | | | | | |
| 1½ to 2 ft | 50 | 50 00 00 | | | |
| Kalmia latifolia, Laurel 1½ to 2 ft | | 50 | 60 | 00 | |
| Mahonia aquifolium | | | | | |
| 1 to 1½ ft | | 25 75 | | 00 00 | |
| " Japonica, Japanese Mahonia 1 to 1½ ft | . 3 | 00 | | | |
| Rhododendron Maximum 4 to 6 ft. clumps | 12 | 50 | | | |
| " Maximum roseum, link 2 to 2½ ft | . 8 | 50 | 85 | 0 6 | |
| " punctatum 15 to 18 in | . 7 | 50 | | | |
| 1½ to 2 ft. heavy | . 10 | 00 | | | |
| Hybrid Rhodendrons | | | | | |
| | | | | ä | |
| Album elegans, white 2 to 2½ ft | . 10 | 00 | | - \$ | |
| Boule de Neige, white 1 to 1½ ft. bushy | . 8 | 50 | | 1 | |
| Everestianum, lilac rose 1½ to 2 ft | . 8 | 50 | | | |
| Lady Clermont, rosy crimson 2½ to 3 ft | 12 | 50 | | | |
| Mrs. Milner, rosy crimson 2 to 2½ ft | . 10 | 00 | | | |
| Old Port, claret red 2 to 2½ ft | | 00 | | ٧. | |
| Purpureum elegans, purplish rose | | | | | |
| 1½ to 2 ft | | 50 00 | | | |
| Yucca filamentosa, Adam's Needle 3 year | . 1 | . 25 | 10 | 00 | |
| 4 year 5 year | . 1 | 35 75 | 12 | 00 | |
| | | | | | |

Evergreens

See also Evergreen Shrubs

In no other class of nursery stock are prices usually so deceptive as they are in evergreens, because the height shown in the list gives no idea of the quality. Quality is represented by the bushiness of the plant and the number of times it has been transplanted, because transplanting is what produces the fibrous root system, so all important to an evergreen. Good feeding is also necessary to impart health, vigor and the rich color to the foliage.

Our aim is to produce the best. Health, vigor, good color and an abundant root system, and to accomplish this, we transplant our evergreens every two years into new, heavily manured ground.

All evergreens are dug with ball of earth and the ball sewed in burlap. The cost of this is included in the price quoted in the catalogue.

| | | | | | Per 10 | Per 100 |
|------|----------------|---------|------|--------------------|---------------|---------------|
| Abie | s, see als | so Pice | ea | | | |
| 66 | brachyp | hylla | * | | | |
| | 3 to | 3½ f | t | | 20 00 |) |
| " | Canader | nsis, S | е Т | suga Canadensis | | |
| " | Douglas | i, See | Pse | udotsuga Douglasi | | |
| 66 | Nordma | nniana | , No | rdman's Silver Fir | | |
| | $1\frac{1}{2}$ | to 2 f | ť | | 10 00 |) |
| -44 | Veitchii | , Japai | ıese | Fir | | |
| | 3 | to 3½ | ft. | | 25 00 |) |
| | 31/2 | to 4 | ft. | | 27 50 | 250 00 |
| | 4 | to 5 | ft. | | 30 00 | 275 00 |
| | 5 | to 6 | ft. | | 3 5 00 |) |

Abies Veitchii is a Japanese Fir, thoroughly tested and found to be perfectly hardy in the United States and is one of the finest evergreens. In form of growth it is like the Silver Fir. The under side of the foliage is a silvery-grey which imparts a soft, handsome tone to the plant.



Juniperus Chinensis

This is one of the finest and most hardy of all the Junipers. It is of upright habit and dense in its growth. It possesses a dark green color, which does not change during the winter, but keeps just as green as it is in summer. This is a distinct advantage. It is useful for filling in evergreen beds.

Junipers for Ornamental Planting


Throughout the entire list of Evergreens there are none so useful as the Junipers. First they have the advantages of hardiness, and adaptability to almost all soils and situations. Then they have a character all their own, and the great diversity of color of foliage makes it possible to plant an entire bed or group of them without the use of other species which may not be as hardy or satisfactory. We have gradually been extending our plantings of these Junipers until now we believe we have one of the largest and finest collections in any nursery in this country.

Juniperus Chinensis argentea variegata

This is one of the hardiest of the Junipers and used largely for massing in evergreen beds. It has a compact and symmetrical habit. The foliage is of light green color, tipped here there and with yellowish white We variegation. consider this one of the best of the Junipers of this form of growth.




| . u | pright habit. The spreading form is the communis adrea. |
|-----|--|
| " | Chinesis, Chinese Juniper |
| | 3½ to 4 ft 20 00 |
| | 4 to 5 ft 25 00 |
| | 5 to 6 ft 30 00 |
| " | Chinensis argentea Variegata, Variegated Chinese Juniper |
| | 1 to 1½ ft 5 00 |
| | $1\frac{1}{2}$ to 2 ft |
| | 2 to 2½ ft 10 00 |
| | 3 to 3½ ft 15 00 |
| | 3½ to 4 ft 17 50 |
| | 4 to 5 ft 20 00 |
| | 6 to 7 ft 40 00 |
| 44 | Chinensis aurea, Golden Canadian Juniper |
| | 2½ to 3 ft 17 50 |



Juniperus Chinensis Pfitzeriana

This is without a doubt the most beautiful and graceful of all evergreens. It seems almost impossible to describe its beauty, and we must let the illustration speak for itself. The color of the foliage is dark green without shade or variegation of any sort. It is perfectly hardy anywhere in this country. We have unquestionably the largest stock of this wonderful evergreen in the United States.

| Juniperus (Cont.) | Per 10 Per 100 |
|--|----------------|
| " Chinensis Pfitzeriana | |
| 1 to 1½ ft | 5 00 |
| 2 to $2\frac{1}{2}$ ft | 20 00 |
| 2½ to 3 ft | |
| 3 to 3½ ft | 27 50 |
| 3½ to 4 ft | 35 00 |
| 4 to 5 ft | |
| 5 to 6 ft | 60 00 |
| 6 to 7 ft | 75 00 |
| " Communis aurea, Golden, spreading Jur | niper |
| 15 to 18 in. broad | 7 50 |
| 2 to 2½ ft. broad | 15 00 |
| " Communis oblonga pendula, | |
| 3½ to 4 ft | . 20 00 |
| 4 to 5 ft | . 25 00 |
| " Japonica argentea variegata, Silver-tipp | ed Juniper |
| 1½ to 2 ft | . 12 50 |
| 2 to 2½ ft | . 15 00 |
| 2½ to 3 ft | . 17 50 |
| " Japonica aurea, Golden Japanese Junipe | |
| 1 to 1½ ft | |
| 1½ to 2 ft | |
| 2 to 2½ ft | |
| 3 to 3½ ft | |
| 3½ to 4 ft | . 22 50 |



Juniperus Sabina tamaricifolia

There are but few varieties of Creeping evergreens, and none so good as the Juniperus tamaricifolia. It creeps almost on the ground and is useful for rockeries or for planting edges of evergreen beds. The foliage is rich green with here and there a silvery tint. It is not a coarse grower like the Juniperus recurva squamata.

| Juniperus (Cont.) " Neaboriensis | - | Per 10 | Per 190 |
|----------------------------------|--------------|---------|---------|
| | | | |
| 2 to 2½ | ft | . 15 00 | |
| 2½ to 3 | ft | . 17 50 | |
| 3 to 3½ | ft | . 20 00 | |
| 3½ to 4 | ft | . 22 50 | |
| 4 to 5 | ft | . 25 00 | |
| 5 to 6 | ft | . 30 00 | |

The Neaboriensis is a variety little known, but of no less merit. The habit is more open and spreading than the chinensis and is quite distinct. It is an excellent sort for massing in evergreen beds where a large growing sort of spreading habit is required.


| " | recurva squamata, | | | |
|----|--|-----------------|-----|--------|
| | 1½ ft | 10 | 00 | |
| | 2 to 2½ ft | 20 | 00 | |
| | 5 to 6 ft | 40 | 00 | |
| 44 | Sabina tamaricifolia. Creeping Juniper | 10 | 00 | |
| | , | - 0 | 00 | 100 00 |
| | 12 to 15 in. broad | 10 | | 100 00 |
| | 15 to 18 in. broad | 12 | 50 | 125 00 |
| | 1½ to 2 ft. broad | 15 | 00 | 150 00 |
| " | Sabina, Savin Juniper | | | |
| | 1 to 1½ ft | 3 | 50 | |
| | 1½ to 2 ft | 5 | 00 | |
| | 2 to 2½ ft | 7 | 50 | |
| | 2½ to 3 ft | 10 | 00 | 85 00 |
| | 3 to 3½ ft | $\overline{12}$ | | 100 00 |
| 66 | Stricta, | | •• | 200 |
| | | | F 0 | 90 00 |
| | 1 to 1½ ft | _ | 50 | 30 00 |
| | 3 to 3½ ft | 15 | 00 | |



Juniperus Virginiana glauca Blue Red Cedar

Everyone knows the Native Red Cedar, and there is no evergreen which just fills its place in landscape planting. This is a handsome variety of it, with steel blue foliage. Its hardiness extends to any part of the United States and Canada. We have probably the largest stock of this Blue Cedar in this country.

| Juniperus (Cont.) | Per 10 | Per 100 |
|---|-----------|---------------|
| " Virginiana, Red Cedar | | |
| 2 to 2½ ft | 7 50 | 60 0 0 |
| $2\frac{1}{2}$ to 3 ft | $10 \ 00$ | |
| 3 · to 3½ ft | $12 \ 50$ | |
| " Virginiana Cannartii | | |
| 4 to 5 ft | 30 00 | |
| " Virginiana cylindrica, | | |
| 4 to 5 ft | 25 00 | |
| 5 to 6 ft | $30 \ 00$ | |
| " Virginiana elegantissima Lee, Golden-tip 1½ to 2 ft | | niper |



Juniperus Virginiana Schottii

The Juniperus Schottii takes the place of the Common Red Cedar in evergreen planting. It possesses the same character of growth and is quite as hardy. The foliage is of a rich green color.


| Juniperus (Cont.) | Per 10 | Per 100 |
|--|--------|---------------|
| " Virginiana glauca, Blue Red Cedar | | |
| 1½ to 2 ft, | | |
| 2 to 2½ ft | | |
| 2½ to 3 ft | | |
| 3 to 3½ ft | | 175 00 |
| $3\frac{1}{2}$ to 4 ft | | 200 00 |
| 4 to 5 ft | | 250 00 |
| 5 to 6 ft | 30 00 | 300 00 |
| 6 to 7 ft | 40 00 | 400 00 |
| " Virginiana globosa, Globe Red Cedar | | |
| 1 to 1½ ft | 13 50 | |
| $1\frac{1}{2}$ to 2 ft | 15 00 | |
| " Virginiana pendula, Weeping Red Ceda | r. | |
| 5 to 6 ft. | | |



Juniperus Virginiana tripartita

The Juniperus tripartita is valuable as being unique in its character of growth. While the tendency of the centre stems is upright the side branches have almost a horizontal growth. In summer the foliage is green but as winter sets in it turns to a purplish-green color, which is quite attractive.

| Juni | perus (Co | ont | .) | | | | Per 100 |
|------|---------------|-----|----------------|------|-----------------------------|-----|--------------------|
| 66 | Virgiana | a p | lumo | sa | argenta variegata, White ti | ppe | er |
| | 4 to | 5 | ft. | | | 00 | |
| 44 | Virginia | na | Sch | otti | i | | |
| | 11/2 | | | ft. | | 00 | |
| | $\frac{1}{2}$ | | 21/2 | ft. | | 50 | |
| | $\frac{1}{2}$ | | 3 | ft. | | 00 | |
| | 3 | | 31/2 | ft. | 4.7 | 50 | ₁ 75 00 |
| | | to | | ft. | | 00 | 200 00 |
| | 31/2 | | | | | | 250 00 |
| | $\frac{4}{2}$ | to | | ft. | | | 200 00 |
| | 5 | to | - | ft. | | | |
| | 6 | to | 7 | ft. | 40 | | |
| | 7 | to | 8 | ft. | 50 | 00 | |
| " | Virginia | na | trit | art | ita | | |
| | 2 | | $2\frac{1}{2}$ | | | 00 | |
| | 31/2 | | – | ft. | | 00 | |
| | 4 | | 5 | | | 00 | |
| | 5 | to | | ft. | | | |
| | ວ 6 | to | - | ft. | 50 | | |



Retinispora filifera aurea

The golden thread-leaved Retinispora is a valuable plant to impart color to a bed of evergreens. While it may not be termed a dwarf evergreen yet being of rather slow growth and compact habit it may be used where a small growing evergreen is needed.

| Picea, See also Abies " Alcockiana, | Per 10 | Per 100 |
|--|---|---------|
| 3 to 4 ft | | |
| " Concolor, Colorado Silver Fir 2 to 2½ ft. 3 to 3½ ft. 4 to 5 ft. 5 to 6 ft. | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| " excelsa, Norway Spruce, 12 to 15 in, 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. | 2 50 3 00 3 50 5 00 15 00 25 00 30 00 | |
| " excelsa inverta, Weeping Norway Spruce 4 to 5 ft. 5 to 6 ft. | 20 00 | |
| " excelsa Maxwelli, Dwarf Spruce, 15 to 18 in. broad | 20 00 | |
| " excelsa nana compacta, Dwarf Spruce 12 to 15 in. broad | | |



Retinispora Plumosa Aurea

The beautiful golden Retinispora is almost indispensible in evergreen planting. While of fairly rapid growth it may be kept any size desired by constant shearing, and this shearing adds to its beauty as the golden color is brightened on the new and young growth. We have a large stock of this magnificent evergreen, and in large sizes.

| | (Cont.) excelsa | | nidalis | , Pyı | amidal | Norway | | Per 100 |
|-----|--------------------|---------|---------|-------|--------|--------|-------------------------------|---------|
| | 3 to | o 3½ f | t | | | | 10 00 | |
| u · | oriental | is, Ori | ental | Sprue | ce | | | |
| | 2 | to 2½ | ft | | | | $\frac{12}{15} \frac{50}{00}$ | |
| | 3 | to 3½ | ft | | | | 20 00 | |

| Picea (Cont.) " orientalis gracilis, Dwarf Oriental Spruc | Per 10 | Per 1 | 00 |
|--|----------------|--------|------------|
| 1½ ft | 10 00 13 50 |) | |
| # polita, Tiger-tail Spruce 2½ to 3 ft. 3 to 3½ ft. 3½ to 4 ft. 5 to 6 ft. | 25 00 30 00 |) | |
| " pugens Koster's glauca, Colorado Blue 1 2 to 2½ ft | 20 00 35 00 |) | |
| " pungens glauca pendula, Weeping Blue S | |) | |
| Pinus Banksiana, Jack Pine | | | |
| 5 to 6 ft | | | |
| " Mughus, Mountain Pine 1 ft. broad | 7 50 10 00 | | |
| " strobus, White Pine 1½ to 2 ft | . 3 50 | 30 | 00 |
| " sylvestris Wateriana, Dwarf Scotch Pin 1 ft | |) | |
| Pseudotsuga Douglasi glauca, Blue Douglas F | ir | | |
| 1½ to 2 ft | . 10 00 |) | |
| 2 to 2½ ft | . 13 50 |) | |
| Retinispora filifera, Thread-leaved Cypress | | | |
| 1 to 1½ ft | . 500 |) | |
| 1½ to 2 ft | | 060 | 00 |
| 2 to 2½ ft | . 10 00 |) | |
| 2½ to 3 ft | . 12 50 |) | |
| 3 to 3½ ft | . 15 00 |) | |
| " filifera aurea, Golden thread-leaved Cyp | ress | | |
| 1½ to 2 ft | |) | |
| 2 to 2½ ft | . 15 00 | 135 | 00 |
| 2½ to 3 ft | . 20 00 | 175 | 0 0 |
| # filippides | | • | |
| " filicoides 2½ to 3 ft | . 13 50 |) | |
| " leptoclada | | | |
| 5 to 6 ft | | | |
| All evergreens balled and burlapped at the | prices 1 | isted. | |

| | Bresner, monegomery co., 1 | | |
|---|--|-----------------------------------|--|
| Retinispora | | Per 10 | Per 100 |
| 2 | | 12 5 | 50 |
| | a compacta, Dwarf Cpyress ft | 7 5 | 50 [,] |
| 1 · 2 | ½ to 3 ft | 13 5 15 (| 90 [.] |
| 1: 2 | ½ to 3 ft | 13 5 | 50 00 |
| 10 | a nana, Dwarf Cypress to 12 in. to 20 in. | | |
| 2 | ra ½ to 2 ft to 2½ ft ½ to 3 ft | 7 5 | 60 0 0 |
| 1 2 | ½ to 3 ft to 3½ ft | 7 5 10 0 13 5 | 50 60 0 0 50 - 50 |
| 1 2 | to 1½ ft | 7 5 10 0 30 0 35 0 | 50 60 00 00 00 00 |
| $\begin{matrix} 1 \\ 1 \\ 2 \end{matrix}$ | bsa aurea, Golden Cypress to 1½ ft. 1½ to 2 ft. 1½ to 3 ft. 1½ to 3 ft. 10 5 ft, very broad to 6 ft, very broad to 7 ft, very broad to 8 ft, very broad to 10 ft. very broad | 7 8 10 0 12 8 20 0 25 0 30 0 40 0 | 90 00 50 00 00 200 00 00 250 00 00 300 00 |

| Retinispora (Cont.) " squarrosa Veitchii, Silver Cypress | Per | 10 | Per 100 |
|--|-----------------|-----------------|-------------------------|
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 7 | 00 50 00 | 40 00 60 00 90 00 |
| 2½ to 3 ft. | | | |
| Sciadoptitys verticillata, Japanese Umbrella | | | |
| 1 to 1½ ft | $\frac{12}{22}$ | | |
| Taxus adpressa stricta, Upright Japanese Yev | v | | |
| 2½ to 3 ft | 17 | 50 | |
| "·baccata, English Yew | | | |
| 2 to 2½ ft | 12 | 50 | |
| " Cuspidata, Japanese Yew | | | |
| 1½ to 2 ft | | 00 50 | |
| 2 to 272 it | 12 | 50 | |
| " cuspidata brevifolia, Japanese Yew | | | |
| 15 to 18 in | | 50 00 | |
| 2 to 2½ ft | | 00 | |
| " erecta pyramidalis, | | | |
| 3½ ft | 17 | 50 | |
| " Hibernica, Irish Yew | | | |
| 1½ to 2 ft | 10 | 0 0 | |
| " repanda | | | |
| 1½ to 2 ft | | $\frac{50}{00}$ | |
| 2 to 2 /2 It, broad | 10 | 00 | |
| Thuya occidentalis, American Arbor Vitae | 1 | 00 | 35 00 |
| 2 to $2\frac{1}{2}$ ft | | 00 | |
| 3 to 3½ ft | 6 | 00 | |
| 3½ to 4 ft | | 50 00 | |
| 4 to 4½ ft | 10 | 00 | 69 00 |
| " occidentalis conica densa, Cone-shaped | | | |
| 3 to 3½ ft, heavy | 15 | 00 | |
| " occidentalis elegantissima, Golden-tipped | | | |
| 3½ to 4 ft | | | |
| All evergreens balled and burlapped at the | price | s li | sted. |

| - | ra (Cont.) Per 10 Per 100 |
|------|--|
| " | occidentalis, George Peabody, Golden Arbor Vitae |
| | 1½ to 2 ft. 7 50 2 to 2½ ft. 10 00 2½ to 3 ft. 12 50 |
| " | occidentalis Hoveyii, Hovey's Golden Arbor Vitae |
| | 1½ to 2 ft. 5 00 2 to 2½ ft. 7 50 2½ to 3 ft. 10 00 |
| " | occidentalis plicata, Fern-leaved |
| | 2 to 2½ ft |
| " | occidentalis, pyramidalis, Pyramidal Arbor-Vitae |
| | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| " | occidentalis Rosenthali |
| | 1½ to 2 ft |
| u | 0ccidentalis Siberica, (Wareana) 15 to 18 in. 3 50 30 00 1½ to 2 ft. 5 00 50 00 2 to 2½ ft. 8 50 75 00 2½ to 3 ft. 10 00 |
| " | Orientalis aurea nana, Dwarf golden 1½ ft. 8 00 2 ft. 10 00 |
| Tsuc | a canadensis, Hemlock Spruce |
| | 3 to 3½ ft. 15 00 135 00 3½ to 4 ft. 17 50 175 00 4 to 5 ft. 25 00 225 00 5 to 6 ft. 35 00 325 00 6 to 7 ft. 40 00 |
| " | canadensis compacta, Compact Hemlock 2 to 2½ ft |
| ** | canadensis Sieboldi, Japanese Hemlock Spruce 2 to 2½ ft. 20 00 2½ to 3 ft. 22 50 3 to 3½ ft. 25 00 |
| | All evergreens balled and burlapped at the prices listed. |

Hardy Herbaceous Perennials Ornamental Grasses and Ferns

Our Herbaceous Department is in charge of experts, men who are thoroughly trained in the growing, handling and shipping of these popular plants. By a thorough system of propagation and transplanting our stock is kept in the highest state of perfection, so that every plant we send out is young, vigorous and brought to a condition where it will give the customer the best results.

In making comparison of our prices with those of other nurseries bear in mind the fact that our plants are mostly field grown clumps and not the small divisions usually supplied by other growers.

July to September, etc., indicates the period of flowering.

| Achillea millefolium roseum, Pink Yarrow, rose, July to Sept | Per 1 | L0 80 | Per 5 | 00 | |
|--|-------|----------|-------|-----|--|
| " Ptarmica plena, "The Pearl," double white, July | | 80 | 6 | 00 | |
| Aegopodium podagraria variegata, variegated foliage | | 80 | 6 | 00 | |
| Agrostemma coronaria, purplish-crimson, June | 1 | 00 | 8 | 00 | |
| Ajuga reptans, Bugle, blue, May | | 80 | 6 | 00 | |
| Alyssum saxatile compactum, yellow, May | | 80 | 6 | 00 | |
| Amsonia salicifolia, blue, June | 1 | 00 | 8 | 00 | |
| Anchusa Italica, Dropmore variety, dark blue, June to Sept | 1 | 50 | 12 | 00 | |
| Anemone Japonica alba, Windflowers, White, | 1 | 00 | Q | 00 | |
| Sept. to Nov | _ | 00 | | 00 | |
| Japonica Ance, carmine rose, septimen | _ | 00 | _ | 00 | |
| Japonica rosea superba, rose, bept. | _ | 00 | _ | 00 | |
| Daponica Williamia, White, Sepa. to 1101. | _ | 00 | _ | 00 | |
| " Japonica rubra, red, Sept. to Nov | _ | v | ٠ | ••• | |
| Anthemis tinctoria Kelwayi, Chamomile, yellow, July | • | 80 | 6 | 66 | |
| Aquilegia Canadensis, Columbine, scarlet, May and June | 1 | 00 | 8 | 00 | |
| " chrysantha, yellow, June | 1 | 00 | 8 | 00 | |
| " coerulea, light blue, May and June | 1 | 00 | 8 | 00 | |
| " coerulea, white | 1 | 00 | 8 | 00 | |
| " nana plenissima, dwarf double dark | _ | •• | | | |
| purple, May | 1 | 00 | 8 | 00 | |
| " Skinneri, red and yellow, May | 1 | 00 | 8 | 00 | |
| " vulgaris, blue and purple, May | 1 | 00 | 8 | 00 | |
| " vulgaris alba, white, May | 1 | 00 | ,8 | 00 | |

| et al. and a second a second and a second an | | | | |
|--|----|----------|-----|----------|
| Anabia aluina nana annuarta Bash Gunn | | 10 | Per | 100 |
| Arabis alpina nana compacta, Rock Cress, white, April | | 00 | 8 | 00 |
| Armeria Laucheana, pink, May | 1 | 00 | 9 | 00 |
| " maritima alba, Thrift, white, May | | 80 | _ | 00 |
| Artemisia Abrotanum, "Old Man" | - | 80 80 | | 00 |
| " Stellariana, silvery foliage | | 80 | | 00 |
| Asclepias tuberosa, Butterfly Plant, orange, July | | 00 | R | 00 |
| Aster alpina, bright purple, June and July | - | 80 | | 00 |
| " formosissima, bright violet, Sept | | 80 | - | 00 |
| " laevis, lavender, Sept | | 80 | _ | 00 |
| " Lil Fardil, mauve, Sept | | 80 80 | | 00 |
| " Novae-Angliae alba, white, Sept. to Oct | 1 | 00 | - | 06 |
| " Novi-Belgii Robert Parker, pale blue, Sept. | 1 | 00 | _ | 00 |
| " Novi-Belgii Edna Mercia, deep rose, Sept. | 1 | 00 | | 00 |
| " Novi-Belgii White Queen, white, Sept | | 00 | | QC |
| " ptarmicoides, white, Aug. to Oct " Tataricus, light purple, late fall | 1 | 00 80 | | 0€ 0€ |
| Astilbe Davidii, violet rose, July and August | 1 | 00 | | 00 |
| Baptisia australis, blue, May and June | | 00 | | 00 |
| Belamcanda Chinensis, Blackberry Lily, red | | UU | 0 | v |
| orange, Aug. to Sept | | 75 | - 5 | 00 |
| Bellis perennis, mixed colors, April | | 80 | _ | 00 |
| Betonica rosea, dwarf, pleasing pink, July | 1 | 00 | | 00 |
| Bocconia cordata, Plume Poppy | _ | 80 | _ | 00 |
| Boltonia latisquama, Starwort, pale pink, Aug. | | 80 | _ | 00 |
| Callirhoe involucrata, red, trailing, all summer | | 80 | _ | 00 |
| Campanula carpatica, Bellflowers, blue, July to | | 00 | U | v |
| Sept | | 00 | 8 | Of |
| " carpatica alba, white, July and Sept | 1 | 00 | 8 | 00 |
| " glomerata, blue, June | | 00 | 8 | 00 |
| " latifolia macrantha, Dark blue, May and | | | | • |
| June | | 80 | 6 | 00 |
| " media, Canterbury Bells, June | 1 | 00 | 8 | 00 |
| " persicifolia, blue, June to July | 1 | 00 | 8 | 00 |
| Cassia marylandica, Senna, yellow, July | | 80 | 6 | 00 |
| Centaurea dealbata, bright rose, Aug. to Sept. | | 80 | 6 | 00 |
| " macrocephala, yellow, July | 1 | 00 | 8 | 00 |
| " montana, blue, June and July | 1 | 00 | 8 | 00 |
| Cerastium Biebersteinii, white, April and May | | 80 | 6 | 00 |
| Chrysanthemum Pompom, Single, Semi-double | | | | |
| and other hardy kinds in fine as- | | | | |
| sortments, over forty varieties | | 00 | | 00 |
| Clematis Davidiana, blue, July to Sept | | 00 | | 00 |
| Convallaria majalis, Lily of Valley, Clumps | 2 | 00 | 15 | 00 |
| Coreopsis lanceolata grandiflora, Tickseed, | | 00 | | 00 |
| golden yellow, summer | -4 | 80 | | 00 |
| tripteris, o it. tail, yellow, ouly | 1 | 00 | | 00 |
| Coronilla varia, Crown Veitch, pink, June | | 80 | в | 00 |
| | | | | |

| Palmbinium alatum Twolish Habrida III-11 | Per | 10 | Per 1 | .00 |
|--|-----|----------|-------|----------|
| Delphinium elatum, English Hybrids, Tall Larkspur, shades of blue, June to Aug. | 1 | 00 | Q | 00 |
| " formosum, Indigo, July | | 00 | | 00 |
| Dianthus barbatus, Sweet William, many col- | | 00 | | 00 |
| ors, May and June | | 80 | 6 | 00 |
| " diadematis, single pink, very fragrant | 1 | 00 | 8 | 00 |
| " Carman, rose, May and June | | 00 | | 00 |
| "Her Majesty, white, May to June | | 00 | | 00 |
| " Lord Lyons, deep pink, May and June " Perpetual Snow, white, May to August | 1 | 00 00 | | 00 |
| Dicentra spectabilis, Bleeding Heart, pink | 1 | UU | 0 | UU |
| April and May | | 50 | 10 | 00 |
| Dictamnus fraxinella, Gas Plant, red, June | . 2 | 00 | 15 | 00 |
| " fraxinella alba, white, June | | 00 | 15 | 00 |
| Digitalis purpurea, Fox Glove, purple, May and | | | _ | |
| June | | 00 | | 00 |
| " purpurea alba, white, May and June | | 00 | 8 | 00 |
| Doronicum plantagineum excelsum, Leopard's | | ^^ | | ۸۸ |
| Bane, yellow, April to June | | 00 | | 00 |
| Echinacea purpurea, Cone Flower, pink, July | _ | 00 | _ | 00 |
| Eryngium amethystinum, Sea Holly, blue, July | | 00 | 8 | 00 |
| Eupatorium ageratoides, Hardy Ageratum, | , , | 00 | | 00 |
| white, September | | 00 | _ | 00 |
| coelestinum, blue, Oct | | 00 | _ | 00 |
| Funkia coerulea, Plantain Lilies, blue, July | | 80 | | 00 |
| " cordifolia, blue, August" " lancifolia, blue, July | | 80 80 | | 00 |
| " ovata | | 80 | | 00 |
| " subcordata grandiflora, white, August | 1 | 50 | 10 | 00 |
| " undulata variegata, white foliage | 1 | 00 | 8 | 00 |
| Gaillardia grandiflore compacta, yellow and | | | | |
| crimson, July to Sept | | 80 | | 00 |
| Geranium sangiuneum, red, June to Sept | | 00 | | 00 |
| Geum Heldrichi, orange, June and July | | 00 | | 00 |
| Glaucium Fischeri, Silver leaf | | 00 | | 00 |
| Gypsophila cerastioides, white, June | | 00 | 8 | 00 |
| " paniculata, Baby's Breath, white, July and August | | 00 | Q | 00 |
| " nana compacta, white, June | | 00 | | 00 |
| Helenium autumnale superbum, Sneezewort, | | • • | _ | |
| clear yellow, August | | 00 | 8 | 00 |
| " Hoopesii, orange, June to July | 1 | 00 | 8 | 00 |
| Helianthus decapetalus multiflorus Soliel d'Or | | | | |
| double yellow, Aug. and Sept | | 00 | 8 | 00 |
| " doronicoides, yellow, July and August | | 80 | 6 | 00 |
| "Maximilliana, yellow, Sept. and Oct | | 80 | | 00 |
| " mollis, yellow, September" " orgyalis, yellow, September, | | 80 | | 00 00 |
| | | 80 | - | |
| Heliopsis scabra major, deep golden yellow | | 80 | О | 00 |
| Hemerocallis Dumortierii, Day Lilies, orange | 1 | 00 | Q | 00 |
| " flava, lemon yellow, June | | 00 | | 00 |
| " fulva, bronze, August | т | 80 | | 00 |
| " fulva fl. pl., bronze double, August | | 80 | | 06 |
| • | | | | |

| | er 10 | Per 1 | .00 |
|---|--|-------------------------------------|--|
| Hesperis matronalis, Sweet Rocket, white and pink, June | 80 | 6 | 00 |
| Hollyhock, double, separate colors, June to Aug | 1 00 | . 8 | 00 |
| " single, mixed, June to August | 80 | | 00 |
| Iberis sempervirens superbum, Candytuft, white, April | 1 00 | 8 | 00 |
| Inula Brittanica Elecampane, yellow, July | 1 00 80 | | 00 90 |
| Iris Cengialti, deep lavender, May and June "florentina, Orris Root, white, May | 80 | | 00 |
| " Germanica, German Iris, best assorted | 80 | 6 | 00 |
| LIST OF VARIETIES OF IRIS GERM. | ANICA | ١. | |
| A. F. Barron, S. Orange, F. light purple. Alexander Von Humboldt. Light blue self. Celeste. Delicate blue self. Chas. Darwin, S. white F. white-veined purple. George Thorbeck, S. white F. veined royal Lady Alice, S. lavender, F. purple. Lady Frances. Delicate lavender. Mad. Chereau. White fringed blue. Mad. Pacquette, S. red, F. shading darker Marie. Lavender. Purpurea. Rich purple. Queen of May, pinkish lavender. Silver King. Silvery white self. Iris laevigata (Kaempferi), Japanese Iris, in fine assorted named kinds, July ochroleuca gigantea, sulphur yellow pallida Dalmatica, large lavender self pseud-acorus, yellow, May pumila, Dwarf Iris, Various, April Siberica, blue, June | rple. purpl |) 8 9 6 15 6 0 6 0 6 | 00 00 00 00 00 00 00 00 |
| Meehan's Mallow Marvel | s | | |
| Prices for Strong 2 Year Root | | | |
| Red Mallows | 2 50 | | 00 |
| Pink Mallows | 1 50 1 50 | | 00 |
| Prices for Strong 3 Year Roots | | | |
| Red Mallows | 4 00 | 0 40 | 00 |
| Pink Mallows | $\begin{array}{cccc} 2 & 00 \\ 2 & 00 \end{array}$ | | 00 |
| Lathyrus grandiflorus, Perennial Pea, pink | | | |
| and white, June to August Lavandula vera, Sweet Lavender, July—Aug | 1 00 1 00 | | 00 |
| " vera compacta, a new form, very attractive | 1 00 |) <u>e</u> | 00 |
| Liatris pycnostachia, Blazing Star, purple, Aug. | | | |
| and Sept | 80 | υ 6 | 00 |

| | Per | 10 | Per 1 | .00 |
|--|-----|----|------------|-----|
| Lilium candidum, white, May, June | 1 | 50 | 12 | 00 |
| " elegans, yellow, July and Aug | 1 | 50 | 12 | 00 |
| " speciosum album, white, Aug. and Sept., | | | | |
| pot grown | 2 | 00 | 15 | 00 |
| " speciosum roseum, rose, Aug. and Sept., | | | | |
| pot grown | | 00 | 15 | |
| " superbum, orange red, July and Aug., pots | | 50 | 12 | 00 |
| " tigrinum splendens, Tiger Lily, orange spotted, Aug., pot grown | | 50 | 12 | 00 |
| Linum perenne, Flax, blue, June | 1 | 00 | 8 | 00 |
| Lobelia cardinalis, Cardinal Flower, scarlet, | | | | |
| Aug. and Sept | 1 | 00 | . 8 | 00 |
| Lychnis chalcedonica, Scarlet Lightning, scar- | | | | •• |
| let, July | | 00 | _ | 00 |
| " Flos-Jovis, crimson June and July Lysimachia clethroides, Loosestrife, white, | | 00 | δ | 00 |
| July to Sept | | 80 | 6 | 00 |
| Lythrum roseum superbum, purple, June and | | 00 | Ů | • |
| July | | 0Ó | 8 | 00 |
| Monarda didyma, Cambridge scarlet, Berga- | | | • | •• |
| mot, Aug. to Sept. | | 00 | - | 00 |
| " fistulosa purpurea, purple, Aug. and Sept. Myosotis palustris semperflorens, Forget-Me- | | 80 | 9 | 00 |
| Not, blue, April and May | | 00 | 8 | 00 |
| Oenothera Missouriensis, Evening Primroses, | | | | |
| yellow, July and Aug | | 80 | | 00 |
| " speciosa, large white, June and July | | 80 | | 00 |
| " Youngii, yellow, June to Sept | | 80 | | 00 |
| Paeony officinalis fl. pl. crimson, May | 3 | 00 | 2 5 | 00 |
| " tenuifolia fl. pl. Fern like foliage, crim- son, April | 3 | 00 | 25 | 00 |
| " Alice, bright, clear rose changing to | | | | |
| white | _ | 00 | 15 | 00 |
| " Duchess de Nemours, sulphur white, a | | 00 | 40 | ۸۸ |
| grand paeony | | 00 | 40 25 | |
| " Grandiflora rosea, full rosy-pink | | 00 | 15 | |
| " Jennie Blake, bright rosy-crimson | _ | 00 | 25 | |
| " Leslie, deep rose, large and full | 3 | 00 | 25 | 00 |
| " Lutetiana, white flushed pink | 3 | 00 | 25 | 00 |
| " Meissonier, purplish-crimson | 5 | 00 | 40 | 00 |
| " Reine des Français, rose, center petals | , | 00 | 95 | 00 |
| shaded sulphur | 4 | 00 | 35 | 00 |
| tipped white | 5 | 00 | 40 | 00 |
| Papaver Orientale Livermore, crimson, June | 1 | 00 | 8 | 00 |
| " Orientale Princess Ena, light orange sal- | _ | | | |
| mon, June | | 50 | 10 | |
| " Orientale Royal Scarlet, scarlet, June | 1 | 00 | 8 | 00 |

| | Per 10 | Per 100 |
|---|--------|---------|
| Pentstemon diffusus, blue, June | . 80 | 6 00 |
| " digitalis, Bearded Tongue, white, July | . 80 | 6 00 |
| " pubescens, rosy purple, July and August | 80 | 6 00 |
| Phlox amoena, pink, April | . 80 | 6 00 |
| " decussata, best assortment of varieties | 1 00 | 9 00 |


LIST OF VARIETIES OF GARDEN PHLOX DECUSSATA

Baron Van Dedem, Cochineal-red, with salmon shading. Champs Elysees. Rich purplish crimson. Embrazement, Orange-scarlet. Epopee. Violet, bright fiery center. Gen. Chanzy. Orange scarlet. Lothair. Salmon, cardinal eye. Mad. P. Langier. Bright red, vermillion center. Mrs. Jenkins, Creamy white. Pacha. Deep pink. Queen. Pure white.

Richard Wallace, White, violet-carmine centre. R. P. Struthers, Scarlet-pink, dark centre. William Robinson. Tall salmon pink.

| Phlox subulata rosea, Creeping Phlox, pink | | | |
|--|--------------|---|-----|
| April and May | 80 | - | 00 |
| " subulata Sadie, lavender, April and May | 80 | _ | 00 |
| Physostegia Virginica, Obedient Plant, lilac, Aug | 80 | 6 | 00 |
| " Virginica alba, white, Aug. and Sept | 1 00 | 8 | 00 |
| Platycodon Mariesii, Japanese Bellflowers, | | | |
| blue, July to Oct | 1 00 | 8 | 00 |
| " Mariesii alba, white, July to Oct | 1 00 | 8 | 00 |
| Plumbago Larpentae, bright blue, Aug. to Oct | 1 00 | 8 | 00 |
| Polemonium Richardsoni, blue, May | 80 | 6 | 00 |
| Polygonum cuspidatum, white, August, Sept | 80 | 6 | 00 |
| " compactum, dwarf white, Aug. and Sept. | 1 00 | | 00 |
| Primula Polyanthus, various. May | 1 00 | | 00 |
| Pyrethrum uliginosum, White Daisy, Sept | 1 00 | | 00 |
| " roseum, various shades of pink, June | 1 00 | _ | CO |
| Ranunculus acris fl. pl., Double Buttercup, June | 80 | 6 | 00 |
| " speciosus fl. pl. Double Buttercup, white May and June | 1 00 | 0 | 00 |
| Rudbeckia laciniata, Golden Glow, yellow, Aug. | | _ | 00 |
| " Newmanni, Black Eyed Susan, golden yel- | 80 | 0 | UU |
| low, July and August | 80 | б | 0.0 |
| Salvia argentea, large silvery foliage | 1 00 | _ | 00 |
| Salvia azurea grandiflora, blue, Aug | 1 00 | 8 | 00 |
| Santolina incana, Lavender Cotton | 80 | - | 00 |
| Saxifraga crassifolia, pink, April | 1 00 | - | 00 |
| • | | | |
| Sedum Hispanicum, pink, June and July | 80 | | 00 |
| " sexangulare, yellow, June and July | 80 | | 00 |
| specianiis, pink, Aug. and Bept | 1 00 | 8 | 00 |
| Senecio clivorum, newly introduced from China | - FO | | ^^ |
| 3 to 5 ft. high, large yellow flowers. | 1 50 1 50 | $\begin{array}{c} 12 \\ 10 \end{array}$ | |
| " pulcher, magenta | т 90 | TÜ | UU |
| Sisyrinchium Bermudianum, Star Grass, blue, | 80 | e | 00 |
| TATUTA A | οv | U | UU |

| | | | | _ |
|---|--------|------------|-------|------------|
| φ | Per | | Per 1 | |
| Spiraea astilboides, white, May | | 00 | _ | 00 |
| " Japonica, white, May | | 00 | _ | 00 |
| " Lemoinei pyramidalis, white, May | | 00 | _ | 00 |
| " lobata-venusta, pink, June | _ | 00 | _ | 00 |
| " multiflora compacta, white, May and June | _ | 00 | | 00 |
| " palmatum elegans, pink, June | 1 | 00 | 8 | 00 |
| " ulmaria alba plena, double white, June | | 0.0 | c | ΔΔ. |
| and July | | 80 | - | 00 |
| Stokesia cyanea, Stokes Aster, blue | | 80 | - | 00 |
| Teucrium Canadensis, pink, July to Aug. | - | 80 | - | 00 |
| Thalictrum glaucum, Handsome foliage Tradescantia Virginica, Spider Wort, blue | T | 00 80 | _ | 00 |
| Valeriana officinalis, light pink, June to July | 1 | 00 | | 00 |
| Vernonia Jamesii, purple, Aug. and Sept | | 00 | _ | 00 |
| Vernica candida, Speedwell, silvery foliage, | _ | v | Ü | 00 |
| blue flowers, June and July | | 80 | 6 | 00 |
| " circaeoides, blue, June | | 80 | 6 | 00 |
| " Montana, blue, June and July | | 80 | 6 | 00 |
| " Virginica, white, July and August | 1 | 00 | 8 | 00 |
| Vinca minor, Periwinkle, 3 in. pots | | 75 | 6 | 00 |
| Viola odorata, Blue, Sweet Violet, April and | | | | |
| May | 1 | 00 | 8 | 00 |
| Hardy Ferns | | | | |
| Aspidium acrostichoides, Christmas Fern | | 80 | 6 | 00 |
| " marginale, Marginal Fern | | 80 | - | 00 |
| " spinulosum | | 80 | 6 | 00 |
| Asplenium angustifolium, Narrow-leaved | | 80 | 6 | 00 |
| Spleenwort | | 00 | U | 00 |
| Onoclea sensibilis, Sensitive Fern | | 80 | 6 | 00 |
| " Struthiopteris, Ostrich Fern | | 80 | _ | 00 |
| Osmunda cinnamomea, Cinnamon Fern | _ | 0 0 | - | 00 |
| " Claytoniana, Flowering Fern | | 0 0 | | 00 |
| " regalis, King Fern | 1 | 50 | ~- | 00 |
| Polypodium hexagonopterum | | 60 | | 00 |
| " vulgare, Rock Polypod | | 60 | _ | 00 |
| Pteris aquilina, Brake or Bracken | | 60 | 5 | 0 0 |
| Hardy Grasses | | | | |
| | 0 | E0. | 60 | 00 |
| Bambusa Metake, Evergreen Bamboo | 2 | 50 | 20 | |
| Calamagrostis stricta variegata | | 80 | | 00 |
| Eulalia Japonica gracillima | _ | 00 | 15 | UU |
| " Japonica variegata, green and whit striped | e 2 | 00 | 15 | 00 |
| | | | | |



Meehan's Mallow Marvels

SINCE the introduction of our Mallows several years ago, thousands of them have been widely distributed over the entire country and have given the utmost satisfaction. They are now specified in planting lists by Landscape Engineers, Superintendents of Parks and Cemeteries.

It makes a vigorous growth—strong roots making a bushy clump five to seven feet in one season and blooming profusely from midsummer to frost. Being an herbaceous plant it dies to the ground in the fall, shooting from the root again the following spring.

The flowers measure from eight to twelve inches in diameter, and are sold in separate colors, in red, pink

and white.


The plant is extremely hardy, having been tested and grown in all parts of the United States and Canada.

It grows naturally in moist ground but thrives equally as well in any good, rich soil.

Beware of Imitations offered under other names.

THOMAS MEEHAN & SONS

Wholesale Nurserymen
DRESHER, - PENNA.



Meehan's Globe Head Mulberry

Entirely new and now introduced for the first time.

It is as hardy as the Tea's Weeping Mulberry and more attractive and better than Catalpa Bungei.

Supply for this year limited. Place your order early to insure delivery.

Price, two year heads \$1.25 each.

Thomas Meehan & Sons

Introducers and Propagators

DRESHER, PENNA.

